

# ANNUAL INDEX

## VOLUME 7

1972

## AUTHORS

### A

- Ackman, R. G. See S. N. Hooper  
— S. N. Hooper and R. P. Hansen. Some monomethyl-branched fatty acids from ruminant fats: Open-tubular GLC separations and indications of substitution on even-numbered carbon, 683  
Adachi, S., Y. Matuzawa, T. Yokomura, K. Ishikawa, S. Uhara, A. Yamamoto and M. Nishikawa. Studies on drug-induced lipidosis (V). Changes in the lipid composition of rat liver and spleen following the administration of 4,4'-diethylaminoethoxyhexestrol, 1  
Adams, Larry L. See Harold J. Fallon  
Aguilar, H. See J. G. Coniglio  
Anderson, D. B., R. G. Kauffman and N. J. Benevenga. Short communication re estimate of fatty acid turnover in porcine adipose tissue, 488  
Anderson, W. H., J. L. Gellerman and H. Schlenk. Arachidonic and eicosapentaenoic acids in developing gametophores and sporophytes of the moss, *Mnium cuspidatum*, 710  
Ansari, M. N. A. See N. Nicolaides  
Arnott, H. J. See J. A. C. Nicol  
Arora, R. C. and N. S. Radin. Stimulation in vitro of galactocerebroside galactosidase by N-decanoyl 2-amino-2-methylpropanol, 56  
Arunga, R. O. and W. R. Morrison. The structural analysis of wheat flour glycerolipids, erratum, 158  
Arvidson, G. A. E. and A. Nilsson. Formation of lymph chylomicron phosphatidylcholines in the rat during the absorption of safflower oil or triolein, 344  
Avallion, R. See S. Grossman  
Azarnoff, Daniel L. See Cesare Sirtori

### B

- Bachman, Kermit. See Joseph Sampugna  
Baczynski, E. See D. L. Turner  
Bailey, J. M., B. V. Howard, L. M. Dunbar and S. F. Tillman. Control of lipid metabolism in cultured cells, 125  
Barak, A. J. See R. M. Ferris  
Barclay, A. S. See R. Kleiman  
Bazzano, Gaetano. See John D'Elia  
Bazzano, Gail S. See John D'Elia  
Beare-Rogers, J. L., E. A. Nera and B. M. Craig. Accumulation of cardiac fatty acids in rats fed synthesized oils containing C<sub>8</sub> fatty acids, 46  
— E. A. Nera and B. M. Craig. Cardiac lipids in rats and gerbils fed oils containing C<sub>8</sub> fatty acids, 548  
Belmonte, Albert A., James Swarbrick, Robert G. Jensen and Dennis T. Gordon. Short communication re biological implications of cadmium-phospholipid monolayers, 490  
Benevenga, N. J. See D. B. Anderson  
Berezney, Ronald. See T. W. Keenan  
Berger, J. D. and R. J. Cloutier. Health physics practices in laboratories using <sup>3</sup>H and <sup>14</sup>C-labeled tracers, 604  
Bidlack, W. R. and A. L. Tappel. Letter to the editor re a proposed mechanism for the TPNH enzymatic lipid peroxidizing system of rat liver microsomes, 564  
Bierenbaum, Marvin L. See Alan I. Fleischman  
— Alan I. Fleischman and Robert I. Raichelson. Long term human studies on the lipid effects of oral calcium, 202  
Blanchette-Mackie, E. Jean. See Robert O. Scow  
Blomquist, Gary J., Charles L. Soliday, Barbara A. Byers, Joyce W. Brakke and Larry L. Jackson. Cuticular lipids of insects: V. Cuticular wax esters of secondary alcoholols from the grasshoppers *Melanoplus pachardii* and *Melanoplus sanguinipes*, 356  
Boekenoogen, H. A. See P. E. Froehling  
Boquillon, Micheline, Roger Paris and Jacqueline Clement.

Composition, particle size and role in dietary fat transport of two different lipoproteins of the intestinal lymph, 409

- Boucrot, Philippe. Is there an entero-hepatic circulation of the bile phospholipids?, 282  
Brakke, Joyce W. See Gary J. Blomquist  
Breckenridge, W. C. and A. Kuksis. Short communication re stereochemical course of diacylglycerol formation in rat intestine, 256  
Brenner, R. H. See I. N. T. De Gomez Dumm  
— See R. O. Peluffo  
Bridges, R. B. See J. G. Coniglio  
Bruszewski, T. E., C. L. Fergus and R. O. Mumma. Thermophilic fungi: IV. The lipid composition of six species, 695  
Byers, Barbara A. See Gary J. Blomquist

### C

- Cabacungan, Nenita B. See Jacqueline Dupont  
Campagnoni, A. T. See T. P. Carter  
Caputto, Ranwel. See Juan A. Curtino  
Cardwell, R. D. See J. B. Saddler  
Carraway, Kermit L. See Bak C. Shin  
Carter, T. P., J. Sampugna and A. T. Campagnoni. Short communication re analysis of commercially available ganglioside standards, 271  
Cenedella, Richard J. Clofibrate and nafenopin (SU-1347): Effects on plasma clearance and tissue distribution of chylomicron triglyceride in the dog, 644  
Chapman, Betty. See Jon J. Kabara  
Chipault, J. R. See J. A. C. Nicol  
Chow, C. K. and A. L. Tappel. An enzymatic protective mechanism against lipid peroxidation damage to lungs of ozone-exposed rats, 518  
Clark, Dale A. See Hubert S. Mickel  
Clark, J. R. and H. W. Kircher. Synthesis and biological characterization of 10,11-methylene-9-nonadecene; an analog of stercolic acid, 769  
Clausen, J. See K. C. Srivastava  
— and K. C. Srivastava. Comparison of dialysis, thin layer and silicic acid column chromatography for prostaglandin isolation from biological material, 415  
— and K. C. Srivastava. The synthesis of prostaglandins in human platelets, 246  
Clement, Jacqueline. See Micheline Boquillon  
Cloutier, R. J. See J. D. Berger  
Collins, F. D. See G. G. de Pury  
Coniglio, J. G., R. B. Bridges, H. Aguilar and R. R. Zeeltvay, Jr. The metabolism of 1-<sup>14</sup>C-palmitic acid in the testis of the rat, 368  
Coran, Arnold G. The intravenous use of fat for the total parenteral nutrition of the infant, 455  
Cortesi, R. See O. S. Privett  
— and O. S. Privett. Toxicity of fatty ozonides and peroxides, 715  
Costantino-Ceccarini, Elvira. See Pierre Morell  
— and Pierre Morell. Biosynthesis of brain sphingolipids and myelin accumulation in the mouse, 656  
Cook, L. J., T. W. Scott, G. J. Faichney and H. Lloyd Davies. Fatty acid interrelationships in plasma, liver, muscle and adipose tissues of cattle fed safflower oil protected from ruminal hydrogenation, 83  
Cornatzer, W. E. See Darrel J. Rytter  
Craig, B. M. See J. L. Beare-Rogers  
Crane, F. L. See T. W. Keenan  
Crouchman, M. L. See L. J. Morris  
Curley, Jean M. and Thomas O. Henderson. The incorporation of 2-aminoethylphosphonic acid into rat liver diacylglycerolaminoethylphosphonate, 676  
Curtino, Juan A. and Ranwel Caputto. Enzymatic synthesis of glucosylsphingosine by rat brain microsomes, 525

## D

- Davies, H. Lloyd. See L. J. Cook  
 Davis, D. L. See M. G. Horning  
 Davison, P. See M. Johnson  
 De Gomer Dunn, N. T. See R. O. Peluffo  
 — R. O. Peluffo and R. R. Brenner. Comparative effect of a protein diet on the desaturation, elongation and simultaneous desaturation and elongation of linoleic acid, 590  
 De Groot, W. Th. M. Short communication re acyl migration solid phase isomerization of 1,2-diglycerides to 1,3-isomers, 626  
 D'Elia, John, Gail S. Bazzano and Gaetano Bazzano. The effect of cholesterol supplementation on glutamate-induced hypocholesterolemia in the mongolian gerbil, 394  
 de Pury, G. G. and F. D. Collins. Composition and concentration of lipoproteins in the serum of normal rats deficient in essential fatty acids, 225  
 Dickson, Leal G. and Glenn W. Patterson. Inhibition of sterol biosynthesis in *Chlorella ellipsoidea* by AY-9944, 635  
 Dunbar, L. M. See J. M. Bailey  
 Dupont, Jacqueline, Melvin M. Mathias and Nenita B. Cabacungan. Dietary lipid, fatty acid synthesis and cholesterol metabolism in aging rats, 576  
 Dupuy, H. P. See A. J. St. Angelo

## E

- Earle, F. R. See R. Kleiman  
 — See G. F. Spencer  
 Egwin, P. O. and F. A. Kummerow. Response of docosapentaenoic acids of rat heart phospholipids to dietary fat, 567  
 Ellison, E. C. See J. A. C. Nicol  
 Emken, E. A. Cis and trans analysis of fatty esters by gas chromatography: octadecenoate and octadecadienoate isomers, 459  
 Engel, Lewis L. See P. R. Raggatt  
 Eskins, K. See H. W. Gardner  
 Evans, Anthony J. See Robert O. Scow

## F

- Falconey, G. J. See L. J. Cook  
 Fallon, Harold J., Larry L. Adams and Robert G. Lamb. A review of studies on the mode of action of clofibrate and betabenzalbutyrate, 106  
 Fergus, C. L. See T. E. Bruszewski  
 Ferris, R. M., H. P. Jacobi and A. J. Barak. The effects of biliary obstruction on the rates of uptake, synthesis and secretion of <sup>14</sup>C-labeled cholesterol by isolated perfused rat livers, 20  
 Fischer, E. P. See M. G. Horning  
 Fishback, J. See C. J. Glueck  
 Fleischman, Alan I. See Marvin L. Bierenbaum  
 — Marvin L. Bierenbaum and Paul H. Lenz. Short communication re the hypolipidemic effect of calcium-containing compounds and vitamin D<sub>2</sub> in the rat, 263  
 Fletcher, R. F. Lipids of human myocardium, 728  
 Fogerty, A. C. See Judith A. Pearson  
 — A. R. Johnson and J. A. Pearson. Ring position in cyclopropane fatty acids and stearic acid desaturation in hen liver, 335  
 Foulds, Emmett L., Jr. See Hubert S. Mickel  
 Froehling, P. E., G. Van den Bosch and H. A. Boekenoggen. Fatty acid composition of carotenoid esters in soybean and rapeseed oils, 447  
 Fu, Hwei C. See N. Nicolaides  
 Fukazawa, Toshio and O. S. Privett. Biosynthesis of protein relative to the accumulation of fat in the liver of EFA deficient rats, 387

## G

- Gardner, H. W., K. Eskins, G. W. Grams and G. E. Inglett. Radical addition of linoleic hydroperoxides to  $\alpha$ -tocopherol or the analogous hydroxychroman, 324  
 — and D. Weisleder. Hydroperoxides from oxidation of linoleic and linolenic acids by soybean lipoxygenase: Proof of the trans-11 double bond, 191  
 Gatten, R. B. See J. R. Sargent  
 Gellerman, J. L. See W. H. Anderson  
 — and H. Schlenk. Metabolism of odd-numbered fatty acids in *Ochromonas danica*, 51

- Gelman, Rose A. See William F. Naccarato  
 Gilbertson, John R. See William F. Naccarato  
 Glueck, C. J., D. Scheel, J. Fishback and P. Steiner. Prostaglandins, anabolic-androgenic compounds, estrogens: Effects on triglycerides and postheparin lipolytic enzymes, 110  
 Gordon, Dennis T. See Albert A. Belmonte  
 — See Robert G. Jensen  
 — and R. G. Jensen. Short communication re synthesis of 1,2-dilinoyleyl and 1,2-dipalmitoyl sn-3-glycerophosphorylcholine, 261  
 Grams, G. W. See H. W. Gardner  
 — and G. E. Inglett. Sensitized photooxidation of  $\alpha$ -tocopherol and of 2,2,5,7,8-pentamethyl-6-chromanol in ethyl acetate, 442  
 Grigor, M. R., A. Moehl and F. Snyder. Occurrence of ethanolamine- and choline-containing plasmalogens in adipose tissue, 766  
 Grossman, S., M. Trop, R. Avtalion and A. Pinsky. Egg plant lipoxygenase: isolation and partial characterization, 467  
 Gunasekaran, M., D. J. Weber and S. L. Hess. Total, polar and neutral lipids of *Rhizopus arrhizus* Fischer, 430  
 Gutfinger, Tamar and A. Letan. Studies of tocopherol dimers from soybean oil by reaction gas chromatography, 483

## H

- Hammarstrom, S. See A. J. Markovetz  
 Harnosh, Margit. See Robert O. Scow  
 Hansen, R. P. See R. G. Ackman  
 Hara, I. See J. Sato  
 Harwood, J. L. and P. K. Stumpf. Fat metabolism in higher plants XLIX fatty acid biosynthesis by subcellular fractions of higher plants, 8  
 Hebert, R. M. See M. G. Horning  
 Heimermann, W. H. See R. G. Jensen  
 Henderson, Rogene F. and Raymond C. Pfeiffer. Short communication re surface tension studies of phosphatidyl glycerol isolated from the lungs of beagle dogs, 492  
 Henderson, Thomas O. See Jean M. Curley  
 Henick, A. S. See W. L. Porter  
 Herodek, Sander. Formation of diglycerides of long turnover time from labeled acetate and glucose in rat tissues, 572  
 Hess, S. L. See M. Gunasekaran  
 Hill, P. L. See H. S. Mickel  
 Himms-Hagen, Jean. Lipid metabolism during cold-exposure and during cold-acclimation, 310  
 Hoffman, N. E. Short communication re a comparison of the absorption of oleic acid in vitro as measured isotopically and by titration, 559  
 Holburn, R. R. See D. L. Turner  
 Holland, P. C. See M. Johnson  
 Holman, R. T. See R. G. Jensen  
 — See P. C. Nichols  
 Holmer, G. and B. Tronier. Lipid binding in mitochondria from testes of normal and essential fatty acid deficient rats, 534  
 Holtz, R. Barry and Lee C. Schialer. Lipid metabolism of *Agaricus bisporus* (Lange) Sing.: II. Biosynthesis of sporophore lipids, 251  
 Holub, B. J. and A. Kuksis. Short communication re further evidence for the interconversion of monophosphoinositides in vivo, 78  
 Hooper, B. N. See R. G. Ackman  
 — and R. G. Ackman. Short communication re presence of trans-6-hexadecenoic acid in the white jellyfish *Aurelia aurita* Lamarck and in a caribbean gorgonian, 624  
 Horning, E. C. See M. G. Horning  
 Horning, M. G., R. M. Hebert, R. J. Roth, D. L. Davis, E. C. Horning, E. P. Fischer and G. L. Jordan, Jr. Effects of ethyl p-chlorophenoxyisobutyrate on biliary secretion of bile acids, cholesterol and phosphatidyl choline, 114  
 Horwitz, C., L. Krut and L. S. Kaminsky. The emulsifying properties of egg yolk phosphatidylcholine, 234  
 Howard, B. V. See J. M. Bailey  
 Huggins, John W. See Bak C. Shih  
 Hurwitz, Aryeh. See Cesare Sirtori

## I

- Inglett, G. E. See H. W. Gardner  
 — See G. W. Grams  
 Ishikawa, K. See S. Adachi

## J

- Jacks, T. J. and L. Y. Yatsu. Synthesis of conjugated trienoic fatty acids by a cell-free preparation of tung endosperm, 445
- Jackson, Larry L. See Gary J. Blomquist
- Jacobi, H. P. See R. M. Ferris
- James, A. T. See I. Yano
- Jarvi, P. K. Autoxidation of fatty acid esters in the presence of a heavy metal catalyst "Salcomine" (Co(II)-bis(salicylalethylene)-imine): I. Effect of catalyst upon rate of consumption of oxygen and decomposition of hydroperoxide, 755
- Autoxidation of fatty acid esters in the presence of a heavy metal catalyst "Salcomine" (Co(II)-bis(salicylalethylene)-imine): II. Formation of a reaction product from a peroxy radical and salcomine, 788
- Jenkin, H. M. See W. Steele
- Jensen, L. C. See F. T. Lindgren
- Jensen, Robert G. See Albert A. Belmonte
- See D. T. Gordon
- and Dennis T. Gordon. Synthesis of phosphoglycerides, 611
- D. T. Gordon, W. H. Heimermann and R. T. Holman. Specificity of *Geotrichum candidum* lipase with respect to double bond position in triglycerides containing *cis*-octadecenoic acid, 738
- Johnson, A. R. See A. C. Fogarty
- See Judith A. Pearson
- Johnson, Leslye. See Joseph Sampugna
- Johnson, M. P. Davison, P. C. Holland and P. W. Ramwell. Short communication re preparation and characterization of prostanoil carnitine, 752
- Jordan, G. L., Jr. See M. G. Horning

## K

- Kabara, Jon J. and Betty Chapman. Short communication re brain cholesterol: XV. Incorporation of specifically labeled glucose, 692
- Kamrinsky, L. S. See C. Horwitz
- Kanfer, Julian N. The synthesis of ceramide galacturonate, 653
- and Marcia Stein. Short communication re sulfatide biosynthesis by intact microsomes and triton extracts of normal and "quaking" mouse brain, 259
- Kasparow, Maria. See Wil Wortmann
- Kauffman, R. G. See D. B. Anderson
- Kawalek, Joseph C. See William F. Naccarato
- Keenan, T. W., Ronald Berezney and F. L. Crane. Short communication re lipid composition of further purified bovine liver nuclear membranes, 212
- Keeney, Mark. See Joseph Sampugna
- Kinneberg, Kelt F. See Stuart E. Scheppele
- Kinsella, J. E. Stearoyl CoA as a precursor of oleic acid and glycerolipids in mammary microsomes from lactating bovine: Possible regulatory step in milk triglyceride synthesis, 349
- The lipid composition of microsomal preparations from lactating bovine mammary tissue, 165
- Kircher, H. W. See J. R. Clark
- Kleiman, R., M. H. Rawls and F. R. Earle. Short communication re *cis*-5-monoenoic fatty acids in some chenopodiaceae seed oils, 494
- G. F. Spencer, F. R. Earle, H. J. Nieschlag and A. S. Barclay. Tetra-acyl triglycerides containing a new hydroxy eicosadienoyl moiety in *Lesquerella auriculata* seed oil, 660
- Koritsa, Sambasivarao and W. K. Rohwedder. Letter to the editor re formation of an artifact during methylation of conjugated fatty acids, 274
- Konkl, K. V. See J. B. Saddler
- Kritchevsky, David. Cholesterol metabolism in aorta and in tissue culture, 305
- Kruski, A. W. and K. Ananth Narayan. The effect of dietary supplementation of cholesterol and its subsequent withdrawal on the liver lipids and serum lipoproteins of chickens, 742
- Krut, L. See C. Horwitz
- Kuksis, A. See W. C. Breckenridge
- See B. J. Holub
- See I. M. Yousef
- Kummerow, F. A. See P. O. Egwin

## L

- Lacko, Andras G., Harold L. Rutenberg and Louis A. Soloff. On the rate of cholesterol esterification in cord blood serum, 426
- Lamb, Robert G. See Harold J. Fallon

- Lambremont, Edward N. Glyceryl ethers in insects: Biosynthesis of ethanolamine phosphoglycerides containing alkyl and alk-1-enyl glyceryl ether linkages, 526
- Launay, M. and J. Raulin. Distribution and specific activities of RNAs in isolated adipose cells with relation to exogenous lipids, 221
- Lenz, Paul H. See Alan I. Fleischman
- Letan, A. See Tamar Gutfinger
- Letellier, P. R. and W. W. Nawar. Short communication re 2-alkylcyclobutanones from the radiolysis of triglycerides, 75
- Levasseur, L. A. See W. L. Porter
- Lindgren, F. T., L. C. Jensen, R. D. Wills and G. R. Stevens. Subfractionation of Sr 4-10<sup>3</sup>, Sr 4-20 and high density lipoproteins, 194
- Loury, M. Possible mechanisms of autoxidation rancidity, 671
- Lowry, R. R. See I. J. Tinsley

## Mc

- McIntosh, R. See J. R. Sargent

## M

- Makino, I., S. Nakagawa, K. Shinozaki and K. Mashimo. Short communication re sulfated and nonsulfated bile acid in human serum, 750
- Mansbach, Charles M., II. Lysolecithin acyltransferase in hamster intestinal mucosa, 593
- Markovetz, A. J., P. K. Stumpf and S. Hammarstrom. Fat metabolism in higher plants: LIII. Characterization of the product of the peanut  $\alpha$ -oxidation system, 159
- Mashimo, K. See I. Makino
- Mathias, Melvin M. See Jacqueline Dupont
- Matsuzawa, Y. See S. Adachi
- Meng, H. C. See M. C. Wang
- Menkes, John H. Lipid metabolism of brain tissue in culture, 135
- Mickel, Hubert S., Emmett L. Foulds, Jr. and Dale A. Clark. Inhibition of the plasma lecithin-cholesterol acyltransferase reaction by hydrogen peroxide and peroxidized lecithin, 121
- and P. L. Hill. Cholesterol-cerebroside interaction: The role of  $\alpha$ -hydroxy fatty acids, 733
- Minnikin, David E. Ring location in cyclopropane fatty acid esters by boron trifluoride-catalyzed methoxylation followed by mass spectroscopy, 398
- Mitchum, Ronald K. See Stuart E. Scheppele
- Mizugaki, Michinao, Masao Sato and Mitsuru Uchiyama. Metabolism of 12-ketooctadecanoic acid by *Escherichia coli* K-12 and *Candida tropicalis*, 178
- Mizuno, G. R. See J. A. C. Nicol
- Moehl, A. See M. R. Grigor
- Mohammadzadeh-K, Ali A. See Mahmood Vessal
- Moore, Gary S. See Ronald C. Reitz
- Morell, Pierre. See Elvira Costantino-Cecarini
- and Elvira Costantino-Cecarini. Short communication re jimpy mouse: In vitro studies of brain sphingolipid biosynthesis, 266
- Morin, R. J. Short communication re simultaneous partial purification of sterol ester hydrolase and lipase from rabbit pancreas, 795
- Morris, L. J. See I. Yano
- and M. L. Crouchman. The absolute optical configurations of the isomeric 9,10-epoxystearic, 9,10-dihydroxystearic and 9,10,12-trihydroxystearic acids, 372
- Moscatelli, Ezio A. Short communication re methanolysis of cerebroside with boron trifluoride-methanol, 268
- Mumma, R. O. See T. E. Bruszewski

## N

- Naccarato, William F., Rose A. Gelman, Joseph C. Kawalek and John R. Gilbertson. Characterization and metabolism of free fatty alcohols from *Escherichia coli*, 275
- Nagy, S. and H. E. Nordby. Long chain hydrocarbon profiles of Duncan grapefruit, Dancy mandarin and their hybrids, 722
- and Harold E. Nordby. Saturated and monounsaturated long chain hydrocarbon profiles of lipids from orange, grapefruit, mandarin and lemon juice sacs, 666
- Nakagawa, S. See I. Makino
- Narayan, K. Ananth. See A. W. Kruski
- Nawar, W. W. See P. R. Letellier
- Nera, E. A. See J. L. Beare-Rogers

- Nichols, B. W. See I. Yano  
 Nichols, P. C. and R. T. Holman. Pyrolysis of saturated triglycerides, 773  
 Nicol, J. A. C., H. J. Arnott, G. R. Mizuno, E. C. Ellison and J. R. Chipault. Occurrence of glyceryl tridocosahexaenoate in the eye of the sand trout *Cynoscion arenarius*, 171  
 Nicolalde, N., Hwei C. Fu, M. N. A. Anari and Gary R. Rice. The fatty acids of wax esters and sterol esters from vernix caseosa and from human skin surface lipids, 506  
 Nieschlag, H. J. See R. Kleiman  
 Nilsson, A. See G. A. E. Arvidson  
 Nishikawa, M. See S. Adachi  
 Nordby, Harold E. See Steven Nagy

## O

- Odell, George V. See Stuart E. Scheppele  
 Ory, R. L. See A. J. St. Angelo

## P

- Paris, Roger. See Micheline Boquillon  
 Parkinson, T. M. See P. E. Schurr  
 Patterson, Glenn W. See Leal G. Dickson  
 Patton, Stuart. See Andrew J. Thomas  
 Pearson, J. A. See A. C. Fogerty  
 — A. C. Fogerty, A. R. Johnson and F. S. Shenstone. The effect of methyl sterculate on oleic acid synthesis in the hen, 437  
 Peluffo, R. O. See I. N. T. De Gomez Dumm  
 — N. T. De Gomez Dumm and R. R. Brenner. The activating effect of dietary protein on linoleic acid desaturation, 263  
 Pfeiffer, Raymond C. See Rogene F. Henderson  
 Phillips, B. E. and C. R. Smith, Jr. Short communication re stereospecific analysis of triglycerides from *Monnina emarginata* seed oil, 215  
 Phillips, Gerald B. See Henry F. Safrit  
 Pinsky, A. See A. Grossman  
 Porter, W. L., L. A. Levasseur and A. S. Henick. Effects of surface concentration, metals and acid synergists on autooxidation of linoleic acid monolayers on silica, 629  
 Privett, O. S. See R. Cortesi  
 — See Toshio Fukazawa  
 — See W. C. Tan  
 — and R. Cortesi. Observations on the role of vitamin E in the toxicity of oxidized fats, 780

## R

- Radin, N. S. See R. C. Arora  
 Raggatt, P. R., Lewis L. Engel and T. Symington. Fatty acid composition of the sterol ester fraction of human adrenal cortex in Cushing's syndrome and after treatment with aminoglutethimide, 474  
 Raichelson, Robert I. See Marvin L. Bierenbaum  
 Ramwell, P. W. See M. Johnson  
 Raulin, J. See M. Launay  
 Rawls, M. H. See R. Kleiman  
 Reitz, Ronald C. and Gary S. Moore. Short communication re effects of changes in the major carbon source on the fatty acids of *Euglena gracilis*, 217  
 Rice, Gary R. See N. Nicolaides  
 Robbins, W. E. See J. A. Svoboda  
 Rohwedder, W. K. See Sambasivarao Koritola  
 Roth, R. J. See M. G. Horning  
 Rousser, George and Akira Yamamoto. Short communication re ceramide, triglyceride and sterol ester in normal human whole brain at different ages, 561  
 Rudolph, Charles J., Jr. See Stuart E. Scheppele  
 Rutenberg, Harold L. See Andras G. Lacko  
 Rytter, Darrel J. and W. E. Cornatzer. Phospholipid metabolism in cells in culture, 142

## S

- Sabih, Khalid. See Cesare Sirtori  
 Saddler, J. B., K. V. Koski and R. D. Cardwell. Fatty acid alterations during migration and early sea water growth of chum salmon (*Oncorhynchus keta*), 90  
 Safrit, Henry F., Harvey J. Weiss and Gerald B. Phillips. The phospholipid and fatty acid composition of platelets in patients with primary defects of platelet function, 60  
 Saleemuddin, M. and Majid Siddiqi. Short communication re effect of dietary cholesterol and fasting on hepatic

- 3-hydroxy-3-methyl glutaryl coenzyme A hydrolase, 630  
 Sampugna, J. See T. P. Carter  
 — Leslye Johnson, Kermit Bachman and Mark Keeney. Lipids of *Crassostrea virginica*. I. Preliminary investigations of aldehyde and phosphorus containing lipids in oyster tissue, 339  
 Sargent, J. R., R. R. Gatten and R. McIntosh. The metabolism of neutral lipids in the spur dogfish, *Squalus acanthias*, 240  
 Sato, J., H. Shimasaki and I. Hara. Properties of ultrasonically irradiated human serum lipoproteins, 404  
 Sato, Masao. See Michinao Mizugaki  
 Scheel, D. See C. J. Glueck  
 Scheppele, Stuart E., Ronald K. Mitchum, Charles J. Rudolph, Jr., Keith F. Kinneberg and George V. Odell. Mass spectra of tocopherols, 297  
 Schieler, Lee C. See R. Barry Holtz  
 Schlenk, H. See W. H. Anderson  
 — See J. L. Gellerman  
 Schultz, J. R. See P. E. Schurr  
 Schurr, P. E., J. R. Schultz and T. M. Parkinson. Triton-induced hyperlipidemia in rats as an animal model for screening hypolipidemic drugs, 68  
 Scott, T. W. See L. J. Cook  
 Scow, Robert O., Margit Hamosh, E. Joan Blanchette-Mackie and Anthony J. Evans. Uptake of blood triglycerides by various tissues, 497  
 Shah, S. N. Short communication re effect of neonatal food restriction and hyperphenylalaninemia on desmosterol to cholesterol (D/C) ratio in developing rat brain, 628  
 Shenstone, F. S. See Judith A. Pearson  
 Shimasaki, H. See J. Sato  
 Shin, Bak C., John W. Huggins and Kermit L. Carraway. Effects of pH, concentration and aging on the malonaldehyde reaction with proteins, 229  
 Shinzaki, K. See I. Makino  
 Siddiqi, Majid. See M. Saleemuddin  
 Silver, M. J. See D. L. Turner  
 Singh, E. J. and J. R. Swartwout. The phospholipid composition of human placenta, endometrium and amniotic fluid: A comparative study, 26  
 Sinnhuber, R. O. See T. C. Yu  
 Sirtori, Cesare, Aryeh Hurwitz, Khalid Sabih and Daniel L. Azarnoff. Clinical evaluation of MK-185: A new hypolipidemic drug, 96  
 Smith, C. R., Jr. See B. E. Phillips  
 Snyder, F. See M. R. Grigor  
 Soboroff, Arthur A. See Arthur A. Spector  
 Soliday, Charles L. See Gary J. Blomquist  
 Soloff, Louis A. See Andras G. Lacko  
 Solyom, Antal. Effect of androgens on serum lipids and lipoproteins, 100  
 Spector, Arthur A. and Janice M. Soboroff. Long chain fatty acid methyl ester hydrolase activity in mammalian cells, 186  
 Spencer, G. F. See R. Kleiman  
 — and F. R. Earle. Short communication re the abundance of *cis*-5-octadecenoic acid in *Dioscorea* *phyllum communis* seed oil, 435  
 Srivastava, K. C. See J. Clausen  
 — and J. Clausen. Synthesis of prostaglandins (PGE, PGF, PGA and PGB) in human platelets, 762  
 St. Angelo, A. J., H. P. Dupuy and R. L. Ory. Short communication re a simplified gas chromatographic procedure for analysis of lipoxigenase reaction products, 793  
 Steele, W. and H. M. Jenkin. Short communication re the effect of two isomeric octadecenoic acids on alkyl diacyl glycerides and neutral glycosphingolipids of Novikoff hepatoma cells, 556  
 Stein, Marcia. See Julian Kanfer  
 Steiner, P. See C. J. Glueck  
 Stevens, G. R. See F. T. Lindgren  
 Stumpf, P. K. See J. L. Harwood  
 — See A. J. Markovetz  
 Svoboda, J. A., M. J. Thompson and W. E. Robbins. Short communication re azasteroids: Potent inhibitors of insect molting and metamorphosis, 553  
 — M. J. Thompson and W. E. Robbins. Short communication re 24-methylenecholesterol: Isolation and identification as an intermediate in the conversion of campesterol to cholesterol in the tobacco hornworm, 156  
 Swarbrick, James. See Albert A. Belmonte  
 Swartwout, J. R. See E. J. Singh  
 Symington, T. See P. R. Raggatt

## T

- Tan, W. C. and O. S. Privett. Short communication re analysis of prostaglandins in rat vesicular glands, 622  
 Tappel, A. L. See W. R. Bidlack  
 — See C. K. Chow

- Thomas, Andrew J. and Stuart Patton. Short communication re phospholipids of fish gills, 76  
 Thompson, M. J. See J. A. Svoboda  
 Tillman, S. F. See J. M. Bailey  
 Tinsley, I. J. and R. R. Lowry. An interaction of DDT in the metabolism of essential fatty acids, 182  
 Touchstone, Joseph C. See Wil Wortmann  
 Tronier, B. See G. Holmer  
 Trop, M. See S. Grossman  
 Turner, D. L., R. R. Holburn, M. J. Silver and E. Baczynski. Anticoagulant activity of glycol analogs of phosphatidylserine, 680

## U

- Uchiyama, Mitsuru. See Michinao Mizugaki  
 Uhara, S. See S. Adachi

## V

- Van den Bosch, G. See P. E. Froehling  
 Vessal, Mahmood, S. Yahya Zekavat and Ali A. Mohammadzadeh-K. Lipids of *Echinococcus granulosus* protoscolices, 289

## W

- Wang, M. C. and H. C. Meng. Lipid synthesis by rat lung in vitro, 207  
 Watson, John A. Regulation of lipid metabolism in

in vitro cultured minimal deviation hepatoma 7288C, 146

- Weber, D. J. See M. Gunasekaran  
 Weisleder, D. See H. W. Gardner  
 Weiss, Harvey J. See Henry F. Safrit  
 Wilkinson, David I. Polyunsaturated fatty acids of skin: Identification and  $^{14}\text{C}$ -acetate incorporation, 544  
 Wills, R. D. See F. T. Lindgren  
 Wood, Randall. Relationship between embryonic and tumor lipids: I. Changes in the neutral lipids of the developing chick brain, heart and liver, 596  
 Wortmann, Wil, Maria Kasparow and Joseph C. Touchstone. Determination of specific activity of isotopic materials by thin layer chromatography, 420

## \* XYZ

- Yamamoto, A. See S. Adachi  
 — See George Rouser  
 Yano, I., L. J. Morris, B. W. Nichols and A. T. James. The biosynthesis of cyclopropane and cyclopropene fatty acids in higher plants (Malvaceae), 35  
 — B. W. Nichols, L. J. Morris and A. T. James. The distribution of cyclopropane and cyclopropene fatty acids in higher plants (Malvaceae), 30  
 Yatsu, L. Y. See T. J. Jacks  
 Yokomura, T. See S. Adachi  
 Yousel, I. M. and A. Kuksis. Release of chylomicrons by isolated cells of rat intestinal mucosa, 390  
 Yu, T. C. and R. O. Sinnhuber. Effect of dietary linolenic acid and docosahexaenoic acid on growth and fatty acid composition of rainbow trout (*Salmo gairdneri*), 450  
 Zekavat, S. Yahya. See Mahmood Vessal  
 Zseltvay, R. R., Jr. See J. G. Coniglio



# SUBJECT

## A

- Absorption**, of odd chain fatty acids by *O. danica*, 51
- Acetate**, in glyceryl ether biosynthesis, 528
- Acetate-<sup>14</sup>C**, incorporation into rat liver cholesterol, 20
- metabolism in isolated rat liver, 20
  - incorporation into plant fatty acids, 8
- 1-<sup>14</sup>C-Acetate**, incorporation into prostaglandins, 762
- incorporation into unsaturated fatty acid of skin, 544
- Acetate-2-<sup>14</sup>C**, incorporation in plant fatty acids, 35
- precursor for fatty acid biosynthesis in cultured cells, 125
- Na-<sup>14</sup>C-Acetate**, incorporation in egg fatty acids, 437
- Acetate thiokinase**, nutritional regulation in cultured cells, 146
- Acetic acid**, metabolism in the hen, 437
- Acetoxy alkanes**. See fatty alcohols, acetoxy derivatives
- 2-Acetoxyamidoethyl(p-chlorophenyl) (n-trifluoromethylphenoxy) acetate**. See MK-185
- Acetyl CoA carboxylase (E.C.6.4.1.2)**, clofibrate and activity, 106
- nutritional regulation in cultured cells, 146
- Acetyl salicylic acid**. See aspirin
- Acyl-CoA:sn-glycerol-3-phosphate acyltransferase (E.C.2.3.1.15)**, inhibition by clofibrate and betabenzalbutyrate, 106
- Acyl carrier protein**, in fatty acid biosynthesis by plants, 8
- Acyl transferase**, bovine mammary microsomes, 349
- lysophosphatidylcholine intestinal mucosa, 593
- ADP**, and platelet aggregation, defects, 60
- Addition compounds**, linoleic peroxide-tocopherol, derivatives, peric acid, 324
- linoleic peroxide-tocopherol, photocatalytic formation, 324
  - linoleic peroxide-tocopherol, spectra, UV, IR, NMR, MS, 324
  - linoleic peroxide-tocopherol, structure, 324
- Adduct**, formation between cadmium and dipalmitoyl phosphatidyl choline, 490
- Adenosine triphosphate**, cofactor in synthesis of conjugated fatty acids, 445
- Adenyl cyclase**, clofibrate and activity, 106
- Adipose tissue**, androgens and metabolism, 100
- effect of clofibrate on lipoprotein lipase, 644
  - effect of dietary linoleate in lipogenesis and lipolysis, 221
  - effect of dietary oleate in lipogenesis and lipolysis, 221
  - estrogens and lipolytic activity, 110
  - phospholipid comp, 766
  - pregnancy and lipolytic activity, 110
  - ribosomal RNA content, 221
- Adipose tissue, bovine**, phospholipid comp, 766
- Adipose tissue, brown**, and non-shivering thermogenesis, 310
- endocrine-like function in cold acclimation, 310
  - function in cold acclimation, 310
  - growth in response to cold, 310
  - lipid metabolism in cold acclimation, 310
- Adipose tissue, pig**, fatty acid turnover rates, 488
- Adipose tissue, porcine**, phospholipid comp, 766
- plasmalogen comp, 766
- Adipose tissue, rat**, diglyceride synthesis from 2-<sup>14</sup>C-acetate, 572
- diglyceride synthesis from <sup>14</sup>C(U)-glucose, 572
  - epididymal fat pad, 221
  - phospholipid comp, 766
  - plasmalogen comp, 766
  - RNA content, 221
  - turnover of diglycerides, 572
  - uptake of triglycerides, 497
- Adipose tissue, ruminant**, diet and fatty acid profile, 83
- Adipose tissue, white**, function in cell exposure and acclimation, 310
- lipid metabolism in cold acclimation, 310
- Adrenal glands**, fatty acid profile of cholesterol esters, 474
- Adrenaline**. See epinephrine
- Agarose**, chromatographic column purification of lipase and sterol hydrolase, 795
- Age**, lipid comp changes in human brain, 561
- rat, effect of dietary fat on mortality, 576
  - rat, effect on lipid metabolism, 576
  - rat, effect on serum cholesterol levels, 576
  - rat, sex differences in lipid metabolism, 576
- Albumin**, binding of long chain fatty acid, 186
- effect on chylomicron release from isolated cells, 380
- Alcohols, secondary**, mass spectra, grasshopper cuticular wax esters, 356
- structural determination, 356
  - wax esters, grasshopper cuticular lipids, 356
- Alk-1-enyl glyceryl ethers**, biosynthesis in insects, 528
- Alk-1-enylacylglycerophosphorylethanolamine**, in adipose tissue, 766
- Alkylcyclobutanones**, radiolysis products of triglycerides, 75
- 1-Alkyl-2-diacyl-glycerol ethers**, fatty acid profile in hepatoma cells, 556
- in Novikoff hepatoma cells, 556
- Alkyl glyceryl ethers**, biosynthesis in insects, 528
- Amino acids**, as source of nitrogen in infants fed intravenously, 455
- 2-Aminoethyl phosphonic acid**, incorporation into rat tissue lipids, 676
- Aminoglutethimide**, effect on cholesterol esters in adrenal gland, 474
- 2-Amino-2-methyl-1,3-propanediol, amides**, chemical synthesis, 56
- melting point, 56
  - stimulation of galactosidase, 56
- 2-Amino-2-methyl-1-propanol amides**, chemical synthesis, 56
- melting point, 56
  - stimulation of galactosidase, 56
- Amniotic fluid, human**, phospholipid content, 26
- Anabolic steroids**. See androgens
- Anabolic-androgenic compounds**, effect on post-heparin lipolytic activity, 110
- hypotriglyceridemic effect, 110
- Androgens**, and adipose tissue metabolism, 100
- and apolipoprotein A biosynthesis, 100
  - and cholesterol biosynthesis, 100
  - and lipid transport, 100
  - and serum free fatty acids, 100
  - and serum lipids and lipoproteins, 100
  - and serum proteins, 100
  - effects on lipid metabolism, 100
  - mechanism of action on lipid metabolism, 100
  - metabolic interrelationships, 100
  - role in hypothyroidism, 100
  - role in thyrotoxicosis, 100
- Androstanopyrazole**. See anabolic androgenic compounds
- Androsterone**. See anabolic androgenic compounds
- Angina pectoris**, effect of oral calcium on serum lipids, 202
- Anticoagulants**, glycol analogues of phosphatidyl serine, 680
- Aorta**, cholesteryl ester synthesis and hydrolysis, 305
- normal and atherosclerotic, lipid profile, 305
- Apolipoprotein**, estrogens and biosynthesis, 110
- Apolipoprotein A**, inhibition of synthesis by androgens, 100
- Arachidonic acid**, effect of ozonides on in rat tissue, 715
- seasonal fluctuations in moss, 710
- Armyworm**, inhibition of metamorphosis by azasteroids, 553
- Artifact**, formed during methylation of conjugated linoleic acids, 274
- Ascorbic acid**, effect on linoleic acid monolayer autooxidation, 699
- Aspirin**, platelet aggregation, 60
- platelet fatty acids, 60
- Atherogenic diet**, for rats, 263
- Atheromatous plaques**, lipid profile, 305
- Atrium, human**, lipid comp, 728
- Atromid**. See CIPB, p-chlorophenoxyisobutyric acid ethyl ester
- Auricularic acid**, in *L. auriculate* seed oil, 660
- Autooxidation**, dtmn of oxygen uptake by linoleic acid, 699
- fatty acid methyl esters, complex with salcomine, 788
  - fatty acid methyl esters, mechanism, 755
  - IR spectra of reaction products, 755
  - mechanism in presence of salcomine, 788
  - mechanisms, 671
  - metal catalyzed, 788
  - of linoleic acid monolayers, effect of synergists, 699
  - reaction of malonaldehyde with protein, 229
  - reaction rate, linoleic acid, 699
  - UV, IR spectra of salcomine fatty acid peroxide complex, 788
- Avocado**, fatty acid biosynthesis, 8
- AY-9944, trans-4-bis[2-chlorobenzylamino ethyl] cyclohexane dihydrochloride**, effect on sterol biosynthesis, 635
- Azasteroid**, as inhibitors of insect metamorphosis, 553
- metabolism in insects, 553
  - physical properties, 553
  - synthesis, 553

## B

- Betabenzalbutyrate**, hypolipidemic activity, 106  
 — inhibition of acyl-CoA-*sn*-glycerol-3-phosphate acyltransferase, 106  
 — inhibition of hepatic triglyceride synthesis, 106  
 — lipid metabolism in liver, 106  
 — metabolism of adipose tissue, 106  
 — See drugs, hypolipidemic
- Bile**, rat, intestinal hydrolysis of phospholipids, 282  
 — labeling of phospholipids, 282  
 — phospholipid metabolism, 282  
 — TLC of lipids, 282
- Bile acids**, chromatography, on ionic exchange, 750  
 — chromatography, on Sephadex LH-20, 750  
 — determination in bile by GLC, 114  
 — sulfated, in human serum, 750
- Bile acids**, conjugated, analytical method for human serum, 750  
 — human serum content, 750
- Bile fistula**, lipid metabolism studies, 282
- Bile lipids**, extraction and determination, 114  
 — in the dog, effects of *p*-chlorophenoxyisobutyric acid, 114
- Biliary cirrhosis**, bile acid in serum, 750
- Biliary drainage**, effect on chylomicron phosphatidylcholines, 344
- Biliary obstruction**, hypercholesterolemia, 20  
 — liver metabolism, 20
- Bilirubin**, in human serum, 750
- Bilirubin**, serum, response to MK-185, 96
- Biopsy**, pig tissue use in fatty acid turnover studies, 488
- Boron trifluoride**, in fatty acid anal of cerebroside, 268  
 — time study of cerebroside methanolysis, 268  
 — time study of fatty acid methyl ester stability, 268
- Bovine**, mammary tissue, microsomal lipids, 165
- Brain**, lack of glutamate-induced lesions in gerbil, 394
- Brain**, beef, cerebroside fatty acid profile, 268
- Brain**, chick, neutral lipids classes during development, 596
- Brain**, human, lipid comp, 561  
 — phospholipid content, 26  
 — tissue cultures, metachromatic leucodystrophy, lipid metabolism, 135  
 — tissue cultures, Tay Sachs disease, lipid metabolism, 135
- Brain**, jimpy mouse, sphingolipid biosynthesis *in vitro*, 266
- Brain**, mouse, cholesterol labeling from glucose, 692  
 — sphingolipid and myelin accumulation, 656  
 — sulfotransferase, 259
- Brain**, rat, cholesterol and desmosterol, in neonatal, 628  
 — effect of hyperphenylalaninemia on sterols, 628  
 — effect of neonatal food restriction on sterols, 628  
 — explants in tissue culture, 135  
 — galactosidase activity, 56  
 — synthesis of glucosylsphingosine, 525  
 — tissue cultures, fatty acid metabolism, 135  
 — tissue cultures, fatty acid uptake, 135  
 — tissue cultures, lipid fractionation, 135  
 — tissue cultures, lipid metabolism, 135
- Brain lipids**, column chromatography, 135  
 — fatty acids, GLC, 135  
 — TLC, 135
- Brain microsomes**, of jimpy mouse, sphingolipid synthesis, 266
- Braincasesterol**, in *C. ellipsoidea* culture, GLC, 635
- Buoyancy**, neutral lipids in fish, 240
- Butter**, bovine, branched chain fatty acids, 683

## C

- <sup>14</sup>C labeled compounds, health physics, 604
- Cadmium**, interaction with dipalmitoyl phosphatidylcholine, 490
- Calcium**, dietary, effect on serum lipids, 202  
 — effect on hamster lysophosphatidyl choline acyltransferase, 593
- Callus cultures**, see cell cultures, plant
- Callus tissue**, content of cyclopropane, cyclopropane fatty acids, 30
- Campesterol**, conversion to cholesterol in hornworm, 156
- Cancer**, liver, effect on bile acids in serum, 750
- Capillary endothelial cells**, lipoprotein lipase activity, 497
- Carbohydrate**, as source of calories for intravenous feeding, 455
- Cardiolipins**, in rat testes mitochondria, 534  
 — rat, liver, spleen, effect of 4,4'-diethylaminoethoxyhexestrol, 1
- Carnitine**, and fatty acid oxidation in cold acclimation, 310  
 — in tissues of cold acclimated rats, 310
- L-Carnitine**, conversion to prostanoil carnitine, 752

- $\alpha$ -Carotene**, fatty acid esters in seed oils, 447
- Carotenoid ester**, fatty acid profile in seed oils, 447  
 — in rapeseed oilseeds, 447  
 — in soybean oilseeds, 447  
 — anal in oilseeds, 447
- Casein-formaldehyde**, protection of unsaturated fat in rumen, 83
- Castor bean**, fatty acid biosynthesis, 8
- Catalysis**, photo, linoleic peroxide-tocopherol addition, 324
- Cellite**, as carrier in cerebroside synthesis studies *in vitro*, 266
- Cell cultures**, plant, Malvaceae species, fatty acid biosynthesis in, 35  
 — plant, Malvaceae species,  $\alpha$ -oxidation of fatty acids in, 35
- Centrifugation**, Ficoll gradient, isolation of plant cell fractions, 8
- Centrifugation**, zonal, fractionation of rat lymph lipoproteins, 409
- Ceramide**, containing hydroxy fatty acids, effect on LCAT reaction, 733
- Ceramide 6- $\alpha$ -hydroxylgalactoside**, synthesis of ceramide galacturonate, 653
- Ceramide galactoside**, in sulfatide formation, 259
- Ceramides**, content in human brain, 561  
 — synthesis of ceramide galacturonate, 653
- Cerebroside**, biosynthesis in the developing mouse brain, 656  
 — containing hydroxy fatty acids, effect on LCAT reaction, 733  
 — detection in *Echinococcus granulosus*, 289  
 — enzymatic hydrolysis, stimulation of, 66  
 — enzymatic synthesis stimulated by sphingosine, 525  
 — fatty acid profile, beef brain, 268  
 — methanolysis, with BF<sub>3</sub>-methanol, 268
- Cerebroside-cholesterol interaction**, effect on LCAT reaction, 733
- Cetoleic acid**. See docosenic acid
- Chelates**, effect on autooxidation of fatty acids, 755
- Chemotaxonomy**, of citrus hybrid using hydrocarbon profile, 722
- Chenodeoxycholic acid**, in human serum, 750
- Chick**, brain, neutral lipid classes during development, 596  
 — phospholipids during development, 596
- Chick**, embryo, lipids, brain, heart, liver, 596
- Chick**, heart, neutral lipid classes during development, 596  
 — phospholipids during development, 596
- Chick**, liver, neutral lipid classes during development, 596  
 — phospholipids during development, 596
- Chicken**, fatty acid metabolism in, 437
- Chicken**, lipoproteins, effect of dietary cholesterol, 742
- Chicken**, liver, lipid comp, 742
- Chicken serum**, lipoproteins, 742
- Chlorella ellipsoidea**, inhibition of sterol biosynthesis by AY-9944, 635
- p*-Chloromercuribenzoate**, effects on plasma lecithin-cholesterol acyltransferase, 121  
 — protection of plasma lecithin-cholesterol acyltransferase reaction from peroxides, 121
- Chlorophenoxyisobutyrate**. See clofibrate  
 — See drugs, hyperlipidemic  
 — effects on bile lipids of the dog, 114  
 — effects on the plasma lipids of the dog, 114
- p*-Chlorophenoxyisobutyric acid**, determination in plasma by GLC, 114  
 — effect on biliary secretion of bile acids, 114  
 — effect on biliary secretion of cholesterol, 114  
 — effect on biliary secretion of phosphatidyl choline, 114
- p*-Chlorophenoxyisobutyric acid glucuronide**, in bile, in urine, 114
- Chlorophyll**, fluctuations in moss, 710
- Chloroplasts**, fatty acid biosynthesis, 8
- 5 $\alpha$ -Cholan-24-dimethylamine**, inhibitor of insect metamorphosis, 553
- 5 $\beta$ -Cholan-24-dimethylamine**, inhibitor of insect metamorphosis, 553
- 7-Cholestene-3 $\beta$ -ol**, in mushroom lipids, 251  
 — mass spectrum, 251
- Cholesterol**, androgens and biosynthesis, 100  
 — assay colorimetric procedure, 1  
 — biosynthesis, effect of cyclohexamide and/or actinomycin D, 630  
 — biosynthesis, effect of dietary cholesterol or fasting, 630  
 — biosynthesis, effect of hyperphenylalaninemia, 628  
 — biosynthesis, neonatal food restriction, 628  
 — biosynthesis from glucose in mouse brain, 692  
 — biosynthesis from glucose in mouse liver, 692  
 — biosynthesis in hornworm, 156  
 — chick, brain, heart, liver, during development, 596  
 — detection in *Echinococcus granulosus*, 289  
 — dietary, effect on chicken serum and liver lipid comp, 742

- dietary, effect on chicken serum lipoproteins, 742
- dietary, effect on lipoprotein density classes in chicken serum, 742
- effect on emulsion dispersion, 234
- effect on stability of emulsions, 234
- esterified, content in adrenal gland, 471
- esterification by adult and cord blood serum, 426
- esterification rate, LCAT reaction, 733
- excretion by cultured cells, 125
- GLC of, 1
- in bovine liver nuclear membranes and microsomes, 212
- in *C. ellipsoidea* culture, GLC, 635
- in chicken lipoproteins, 742
- in dog bile, effect of *p*-chlorophenoxyisobutyric acid, 114
- in dog plasma, effect of *p*-chlorophenoxyisobutyric acid, 114
- in emulsions with phosphatidyl choline, 234
- in human myocardium, 728
- in normal and atherosclerotic aortas, 305
- metabolism in adrenal gland, 474
- metabolism in chickens, 742
- phospholipids and cellular uptake, 305
- rat liver, in drug-induced lipidosis, 1
- ratio to desmosterol in neonatal rat brain, 628
- regulation of biosynthesis in cultured cells, 125
- serum concentration related to age, sex, diet, 576
- synthesis, excretion and storage in rat, 576
- transformation to acidic steroids in rat extrahepatic tissue, 576
- uptake and incorporation by cultured cells, 125
- uptake by plasma lipoproteins, 733
- <sup>14</sup>C-Cholesterol, biliary obstruction and secretion by rat liver, 20
- biliary obstruction and synthesis by rat liver, 20
- biliary obstruction and uptake by rat liver, 20
- secretion by isolated rat liver, 20
- synthesis by isolated rat liver, 20
- uptake by isolated rat liver, 20
- Cholesterol, dietary, glutamate-induced hypocholesterolemia, gerbil, 394
- Cholesterol, esterified, content in adrenal gland, 474
- Cholesterol, free, content in adrenal gland, 474
- Cholesterol, hepatic, glutamate and dietary cholesterol, gerbil, 394
- Cholesterol, plasma, response to MK-185, 96
- Cholesterol, rat serum, response to hypolipidemic agents, 68
- response to Triton WR-1339, 68
- Cholesterol, serum, concentration and LCAT activity, 426
- glutamate and dietary cholesterol, 394
- Cholesterol ester, in human myocardium, 728
- Cholesterol-cerebroside interaction, effect on LCAT reaction, 733
- Cholesterol arachidonate, in adrenal glands, effect of aminoglutethimide, glutethimide, Cushing syndrome, 474
- Cholesterol eicos-9-enoate, in adrenal glands, effect of aminoglutethimide, glutethimide, Cushing syndrome, 474
- Cholesterol esters, chick, brain, heart, liver, during development, 596
- fatty acid profile in rat serum HDL, 225
- fatty acid profile in rat serum LDL, 225
- fatty acid profile in rat serum VLDL, 225
- in bovine liver nuclear membranes and microsomes, 212
- in emulsions with phosphatidyl choline, 234
- in rat heart, content, 548
- rat, liver, effect of 4,4'-diethylaminoethoxyhexestrol, 1
- ruminant tissues, fatty acid profile and diet, 83
- ruminant tissues, linoleate content and diet, 83
- uptake and excretion by cultured cells, 125
- Cholesterol metabolism, in tissue culture cells, 305
- Cholesterol-<sup>14</sup>C lipoprotein, incorporation by rat liver, 20
- Cholesteryl ester, in aortas, 305
- synthesis and hydrolysis in aortas, 305
- Cholic acid, in human serum, 750
- Choline glycerophosphatides. See phospholipids
- Choline phosphoglycerides, biosynthesis by insects, 528
- 1,2-<sup>14</sup>C-Choline, incorporation in phosphatidyl choline molecular species, 142
- [Me-<sup>3</sup>H] Choline, incorporation in rat chylomicron phosphatidyl choline, 344
- Choroid, sand trout, lipids in, 171
- Chroman, mass spectrometry, 297
- 6-Chromanol, mass spectrometry, 297
- Chromatography, argentation, brain lipid fatty acids, 135
- chylomicron phosphatidyl choline, 344
- *D. cumminsi* fatty acid esters, 435
- phosphatide molecular species, 142
- Chromatography, column, agarose gel of lipase and sterol ester hydrolase, 795
- alumina, sterol intermediates, 635
- brain lipids, 135
- carotenoid esters, 447
- citrus juice sac, long chain hydrocarbons, 666
- cyclopropane fatty alcohols, 335
- DEAE cellulose, glycosphingolipids, 653
- DEAE-cellulose, of plant lipids, 30
- *E. coli* lipids, 275
- glass bead rat testes mitochondrial lipids, 534
- glycol analogues of phosphatidyl serine, 680
- grasshopper cuticular lipids, 356
- hydrocarbons of citrus fruit, 722
- of diinoyl phosphatidyl choline, 261
- of fish gill lipids, 76
- of human bile acid, 750
- of human skin lipids, 506
- of linoleic acid hydroperoxide, 324
- of linoleic peroxide-tocopherol addition compound, 324
- of 10,11-methylene-9-nonadecene, 769
- of oyster lipids, 339
- of platelet lipids, 762
- on ecteola cellulose, of egg plant lipoxygenase, 467
- on Florisil, of egg lipids, 437
- purification of prostaglandins, 415
- rat heart phospholipids, 567
- saphadex LH-20, lipolysis products, 660
- Saphadex of lipase and sterol ester hydrolase, 795
- sterols, 692
- using magnesium oxide to separate wax esters and sterol esters, 536
- Chromatography, column, argentation, conjugated octadecadienes, 274
- of insect sterols, 156
- sterol intermediate, 635
- Chromatography, gas-liquid, alcohols, 671
- aldehydes, 671
- alkylformates, 671
- anal of oleate and elaidate methyl esters, 459
- autooxidation reaction products, 755
- bile acids TMS derivatives, 114
- brain lipid fatty acids, 135
- cholesterol esters, 474
- *cis* and *trans* anal, quantitative, 459
- citrus juice sac, long chain hydrocarbons, 666
- conjugated octadecadienes, 274
- cyclopropane fatty acids, 335
- *D. cumminsi* fatty acid esters, 435
- *Echinococcus granulosus* fatty acid methyl esters, 289
- fatty acid methyl esters, 46, 447
- fatty acid methyl esters from beef brain cerebroside, 268
- fatty acids, grasshopper cuticular wax esters, 356
- fatty acids from gorgonian, 624
- fatty acids from white jellyfish, 624
- fatty acids of *Euglena gracilis*, 217
- ganglioside fatty acids, 271
- human heart fatty acids, 728
- human platelet fatty acids, 60
- hydrocarbons, 671
- hydroxy fatty acids, 660
- keto acids, 178
- lipoxygenase reaction products, 793
- long chain hydrocarbons, 722
- method for analysis of lipoxygenase reaction products, 793
- methoxylated fatty acids, 398
- microsomal fatty acids, radioactive, 363
- mushroom sterols, 251
- odd chain fatty acids, 51
- of cholesterol, 1
- of *cis* and *trans* epoxy octadecenoate esters, 459
- of *cis* and *trans* epoxy stearate esters, 459
- of cyclopropane, cyclopropane fatty acids, 30
- of desmosterol, 1
- of diepoxystearate isomers, 459
- of diglycerides, 626
- of fatty acids from glycerides in lipase assay, 738
- of insect sterols, 156
- of MK-185 in serum, 96
- of optically active  $\alpha$ -hydroxy fatty acids, 159
- of pyrolyzed triglycerides, 773
- of rat fatty acids, 780
- of tocopherols and tocopherol dimers, 483
- of triglyceride radiolysis products, 75
- open tubular, branched chain fatty acids, 683
- ovine liver fatty acid methyl esters, 289
- products of linoleic elongation and/or desaturation, 590
- *R. arrhizus* lipid fatty acids, 430
- rat heart phospholipid fatty acids, 567
- relative retention times, acetoxy alkanes, 275
- relative retention times, free fatty aldehydes, 275
- salmon fatty acids, 90
- secondary alcohols, grasshopper cuticular wax esters, 356



- skin fatty acid methyl esters, 544
- stationary phases for epoxy fatty acids, 459
- sterol intermediates, 635
- TMS ester of *p*-chlorophenoxyisobutyric acid, 114
- Chromatography, gas-liquid-mass-spectrometer**, of 20,22-dihydroxycholesterol, 474
- of fatty acid methyl esters, 474
- of 20-hydroxycholesterol, 474
- of methoxy fatty acid methyl esters, 494
- Chromatography, gel filtration**, of egg plant lipoxygenase, 467
- Chromatography, paper**, glycol analogues of phosphatidyl serine, 680
- phosphoadenosine phosphosulfate, 259
- uronic acids, 653
- Chromatography, radio gas-liquid**, bovine mammary tissue fatty acids, 349
- Chromatography, reaction**, of tocopherol dimers, 483
- Chromatography, silica gel column**, keto acids, 178
- Chromatography, thin-layer**, 1-acyl-lysophosphatidyl choline, 593
- adrenal lipids, 474
- beef brain cerebroside methanolysis, 268
- bovine mammary microsomal phospholipids, 165
- brain lipids, 135
- carotenoid esters, 447
- ceramide galacturonate, 653
- cerebroside and sulfatide, 259
- citrus juice sac, neutral lipids, 666
- cyclopropane acids, 698
- cyclopropane fatty alcohols, 335
- diglycerides, 256
- *E. coli* lipids, 275
- eye lipids of sand trout, 171
- fatty acid methyl esters on silver-nitrate impregnated silica, 437
- gangliosides, 271
- glucosylsphingosine and galactosylsphingosine, 525
- glycol analogues of phosphatidyl serine, 680
- glycosphingolipids of developing mouse brain, 656
- sorgonian lipids, 624
- grasshopper cuticular lipids, 356
- human heart lipids, 728
- human platelet phospholipids, 60
- impregnated plates for spectrodensitometry, 420
- intact monophosphoinositides, 78
- lipids of white jellyfish, 624
- lysophosphatidyl choline acyltransferase products, 593
- *M. marginata* seed oil, 215
- methoxylated fatty acids, 398
- mitochondria lipids, 634
- mushroom neutral lipids, 251
- mushroom phospholipids, 251
- neutral lipids in *Echinococcus granulosus*, 289
- neutral lipids in *Echinococcus* infected ovine liver, 289
- of dogfish neutral lipids, 240
- of fatty ozonides, peroxides, 715
- of fish gill lipids, 76
- of human prostaglandins, 246
- of human skin lipids, 596
- of hydroxyterates, 191
- of insect lipids, 528
- of linoleic acid hydroperoxide, 324
- of linoleic peroxide-tocopherol addition compound, 324
- of 10,11-methylene-9-nonadecene, 709
- of optically active  $\alpha$ -hydroxy fatty acids, 159
- of oyster lipids, 339
- of phospholipids and plasmalogen, 766
- of plant lipids, 30
- of pyrolyzed triglycerides, 773
- of unsaponifiable matter, tocopherols and tocopherol dimers, 483
- on silica gel-silver nitrate, polyunsaturated fatty acids, 544
- phosphatidyl choline, synthetic, 261
- phosphatidylphenols, 256
- phospholipase A digestion, 261
- phospholipids in *Echinococcus granulosus*, 289
- phosphonolipids, 676
- preparative, chylomicron phosphatidyl cholines, 344
- products of sphingolipid biosynthesis, 266
- prostaglandins, 622
- purification of prostaglandins, 415
- *R. arrizus* lipids, 430
- rat bile lipids, 282
- rat heart phospholipids, 567
- rat liver lipids, 1
- rat liver microsomal lipids, 363
- rat lung lipids, 207
- RI values for cerebroside, 525
- separation of lipid classes from brain, 561
- silica-gel silver nitrate of tridocosahexaenoin, 171
- silver nitrate diglycerides, 256
- solvent systems for glucosylsphingosine, 525
- solvent systems for tocopherol dimers, 483
- spectrodensitometry, specific activity <sup>3</sup>H-steroids, 420
- steroids, spectrodensitometry, 420
- triglycerides of hydroxy acids, 660
- uronic acids, 653
- Chromatography, thin-layer, argentation**, long chain hydrocarbons, 666
- of insect sterols, 156
- of prostaglandins, 762
- of unsaturated hydrocarbons, 722
- unsaturated hydroxy acids, 660
- Chylomicrons**, and metabolism of triglycerides, 497
- biosynthesis in isolated cells, 380
- incorporation of amino acids in protein envelope, 380
- incorporation of glucosamine in protein envelope, 380
- isolation by Millipore filtration, 380
- release by isolated mucosal cells, 380
- release by mucosal cells, puromycin inhibition, 380
- synthesis by isolated mucosal cells, 380
- Chylomicrons, dog**, effect of hypolipidemic drugs, 644
- uptake by peripheral tissue, 644
- Chylomicrons, rat**, phosphatidyl cholines and fat absorption, 344
- Chylomicrons, rat lymph**, comp, properties, role in fat transport, 409
- Citrate cleavage enzyme**, nutritional regulation in cultured cells, 146
- Citric acid**, effect on linoleic acid monolayer autoxidation, 106
- Citrus fruit juice sacs**, hydrocarbon profile, 722
- Citrus hybrids**, species differentiations by hydrocarbon profile, 722
- in *C. ellipsoidea* culture, GLC, 635
- Clofibrate**, hypolipidemic activity, 106
- hypolipidemic drug in the dog, 644
- inhibition of acetyl CoA carboxylase, 106
- inhibition of acyl-CoA-*sn*-glycerol-3-phosphate acyltransferase, 106
- lipid metabolism in liver, 106
- liver enlargement and ultrastructural changes, 106
- mechanism of inhibition of triglyceride biosynthesis, 106
- metabolism of adipose tissue, 106
- reduction of adenyl cyclase activity, 106
- screening of hypolipidemic activity, 68
- CoA**. See coenzyme A
- Cobalt**, in autoxidation of fatty acids, 755
- Co(II)-bissalicylaldehydyl-imine**. See salcomine
- Cockroach**, inhibition of metamorphosis by azasteroids, 553
- Coconut oil**, hydrogenated, in diet of rat, 780
- Coenzyme A**, cofactor in synthesis of conjugated fatty acids, 445
- Cold acclimation**, endocrine-like function of brown adipose tissue, 310
- free fatty acid mobilization and oxidation, 310
- function of adipose tissue, 310
- hormonal control, 310
- lipid metabolism in adipose tissue, 310
- mitochondrial proliferation, 310
- mitochondrial protein turnover, 310
- oxidative phosphorylation, 310
- oxygen uptake, 310
- shivering and non-shivering thermogenesis, 310
- tissue carnitine, fatty acid oxidation, 310
- very low density lipoproteins, lipoprotein lipase, 310
- Cold exposure**, function of adipose tissue, 310
- Collagenase**, release of mucosal fat cells, 380
- S-Coriollic acid**, 13L-hydroxy-*cis*-9, *trans*-11-octadecadienoic acid, 215
- stereospecific anal of *M. marginata* seed oil, 215
- Corn oil diet**, for rats exposed to ozone, 518
- CPIB**, *p*-chlorophenoxyisobutyric acid ethyl ester, 114
- Crassostrea virginica**. See oyster
- Creatine phosphokinase**, serum, response to MK-185, 96
- Cultured cells**, carbohydrate source and growth, 146
- cholesterol metabolism, 305
- Ehrlich ascites, HeLa, KB, 142
- exogenous lipids and lipid synthesis, 146
- fatty acid biosynthesis, 125
- glycolytic and lipolytic enzymes, 146
- growth medium and fatty acid profile, 125
- lipid synthesis from non-lipid precursors, 146
- minimal deviation hepatoma 7289C, 146
- phospholipid metabolism, 142
- regulation of lipid metabolism, 125, 146
- uptake of exogenous cholesterol, 125
- uptake of exogenous fatty acids, 125
- Cushing syndrome**, effect on cholesterol esters in adrenal gland, 474
- Cycloartenol**, 24-methylene, in *C. ellipsoidea* culture, by GLC, 635
- Cycloaudenol**, sterol biosynthesis in *C. ellipsoidea*, 635

- (2'-n-octyl)-Cyclopentaneheptanoyl carnitine, chemical synthesis, IR spectra, 752  
 3 $\beta$ -Cyclopentoxy-cholesterol-5-en-24-dicethylamine, inhibitor of insect metamorphosis, 553  
 Cynoscion arenarius. See trout, sand  
 Cytochrome c reductase, role in lipid peroxidation in rat liver microsomes, 564

## D

- DDT, effect on liver lipids, 182  
 Densylase, bovine mammary microsomes, 349  
 DEAE-cellulose, separation of lipase and sterol ester hydrolase on, 795  
 Densipollic acid, in *L. auriculata* seed oil, 660  
 Densitometry, of electrophoretic strips, 96  
 Deoxycholic acid, in human serum, 750  
 Desaturase, stearyl, assay in microsomal tissue, 349  
 — bovine mammary microsomes, 349  
 Desaturation, and structure of odd chain fatty acids, 51  
 — in distal chain of fatty acids, 51  
 — inhibition by steric acid, 769  
 — of odd chain fatty acids, 51  
 Desaturation, fatty acid, by brain tissue cultures, 135  
 Desmosterol, assay colorimetric procedure, 1  
 — GLC of, 1  
 — rat liver, effect of 4,4'-diethylaminoethoxyhexestrol, 1  
 — ratio to cholesterol in neonatal rat brain, 628  
 Diacylglycerophosphorylcholine, in adipose tissue, 766  
 Diacylglycerophosphorylethanolamine, in adipose tissue, 766  
 Dialysis, purification of prostaglandins, 415  
 Diastereomer, of epoxidized *cis, trans*, fatty acids, 459  
 1,1-Dichloro-2,3-dioctylcyclopropane, synthesis, 769  
 Dichloro-diphenyl-trichloro-ethane. See DDT  
 Dieldrin, effect on liver lipids, 182  
 Diet, effect of fat on rat heart polyunsaturated acids, 567  
 — neonatal restriction, effect on brain sterols, 628  
 — saturated and polyunsaturated fat in aging rats, 576  
 Diet, chicken, cholesterol supplement, 742  
 Diet, fat free, effect on fatty acid profile of trout, 450  
 — effect on growth of trout, 450  
 Diet, fat supplemented, effect on fatty acid profile of trout, 450  
 — effect on growth of trout, 450  
 Diet, intravenous, for feeding of infants, 455  
 Dietary fat, effect on mortality of rats, 576  
 4,4'-Diethylaminoethoxyhexestrol, a cause of drug-induced lipodosis, 1  
 — assay method, 1  
 — extraction procedure from liver tissue, 1  
 — infrared spectra, 1  
 — TLC of, 1  
 Digalactosyl diglyceride, cyclopropane, cyclopropane fatty acids in oilseeds, 30  
 Diglycerides, crystallization, 626  
 — 1,3-dipalmitin, synthesis, 626  
 — 1,3-distearin, synthesis, 626  
 — formation from triglycerides in rat, 497  
 — solid phase isomerization, 626  
 — synthesis from 2-<sup>14</sup>C-acetate and <sup>14</sup>C(U)-glucose, 572  
 — synthesis from glycidylesters, 626  
 1,2-Diglycerides, isomerization to 1,3-diglycerides, 626  
 — rat, intestinal mucosa synthesis, 256  
 — stereospecific anal, 256  
 2,3-Diglycerides, rat, intestinal synthesis, 256  
 — stereospecific anal, 256  
 Dihydromalvalic acid, distribution in plants, 30  
 — See fatty acids, cyclic  
 — See fatty acid, cyclopropane  
 24-Dihydrobutylolol, in *C. ellipnoidea* culture, by GLC, 635  
 Dihydrostercic acid, distribution in plants, 30  
 — See fatty acids, cyclic  
 — See fatty acid, cyclopropane  
 3-3'-Dihydroxy- $\alpha$ -carotene, fatty acid esters of, 447  
 Dihydroxycholeonic acid, in human serum, 750  
 20,22-Dihydroxycholesterol, in adrenal glands, 474  
 erythro-9,10-Dihydroxystearic acid, optical configurations of, 372  
 threo-9,10-Dihydroxystearic acid, optical configurations of, 372  
 Dimethylacetals, in adipose tissue, 766  
 2,2-Dimethylchroman, mass spectrometry, 297  
 2,2-Dimethyl-6-chromanol, mass spectrometry, 297  
 Dioscoreophyllum cumminsi, fatty acid profile of seed oil, 435  
 Dioxanes, product of triglyceride pyrolysis, 773  
 Dioxolanes, product of triglyceride pyrolysis, 773  
 Dipalmitoyl phosphatidyl choline, interaction with cadmium and zinc, 490

- Diphosphatidylglycerol, in human tissues, 26  
 Docosahexaenoic acid, effect of feeding on growth of trout, 450  
 — in retina, 171  
 Docosenoic acid, in dietary oil, in rat heart, 46  
 9-*cis*-Docosenoic acid, in heart tissue lipids, 548  
 Dog, adipose tissue, lipoprotein lipase, 644  
 Dog, lung, lipid comp, surface tension studies, 492  
 Dog, plasma, effects of hypolipidemic drugs on lipids of, 644  
 Dog, skeletal muscle, lipase, 644  
 Drug, accumulation and lipodosis, 1  
 — metabolism, differences in, between rat and human, 1  
 Drugs, hyperlipidemic, MK-185 and serum lipids, 96  
 Drugs, hypolipidemic, action of clofibrate and benzalbutyrate, 106  
 — inhibition of hepatic triglyceride synthesis, 106  
 — MK-185, 96  
 — response of serum lipids, 68  
 — screening of activity, 68  
 — side effects, 106

## E

- E.C. 1.1.1.27. See lactic dehydrogenase  
 E.C. 1.1.1.37. See malic dehydrogenase  
 E.C. 1.1.1.38. See malic enzyme  
 E.C. 1.1.1.43. See 6-phosphogluconate dehydrogenase  
 E.C. 1.1.1.49. See glucose-6-phosphate dehydrogenase  
 E.C. 1.6.4.2. See glutathione reductase  
 E.C. 1.6.99.3. See cytochrome c reductase  
 E.C. 1.13.1.13. See lipoxigenase  
 E.C. 2.3.1.15. See acyl-CoA-sn-glycerol-3-phosphate acyl transferase  
 E.C. 2.5.1.1. See glutamic oxalacetic transaminase  
 E.C. 2.7.1.1. See hexokinase  
 E.C. 3.1.1.3. See lipase  
 — See pancreatic lipase  
 E.C. 3.1.1.4. See phospholipase A  
 E.C. 3.1.1.13. See sterol ester hydrolase  
 E.C. 3.2.1.23. See  $\beta$ -galactosidase  
 E.C. 4.1.3.8. See citrate cleavage enzyme  
 E.C. 6.2.1.1. See acetate thiokinase  
 E.C. 6.4.1.2. See acetyl coenzyme A carboxylase  
 Echinococcus granulosus, ovine liver, lipid comp, fatty acid profile, 289  
 Ectocella cellulose, use in purification of lipoxigenase, 467  
 EDTA. See ethylenediamine tetracetic acid  
 Eggs, emulsifying properties of yolk phosphatidyl choline, 234  
 — yolk phosphatidyl choline, 261  
 Egg plant, purification of lipoxigenase from, 467  
 Egg yolk, fatty acid metabolism in, 437  
 Ehrlich ascites cells. See cultured cells  
 Ehrlich ascites tumor, methyl ester hydrolase in, 186  
 14-hydroxy-*cis*-11, *cis*-17-Eicosadienoic acid, in *L. auriculata*, 660  
 Eicosapentaenoic acid, seasonal fluctuation in moss, 710  
 Eicosenoic acid, in dietary oil, in rat heart, 46  
 11-*cis*-Eicosenoic acid, in heart tissue lipids, 548  
 Electron microscopy, isolated fat-laden mucosal cells, 380  
 — method of staining isolated fat cells, 380  
 — of emulsions, 234  
 — of rat lymph lipoproteins, 409  
 — of triglyceride transport in liver, adipose tissue, mammary gland, 497  
 Electrophoresis, densitometric evaluation, 96  
 — of egg plant lipoxigenase, 467  
 — of plasma lipoproteins, 96  
 Electrophoresis, agarose gel, of ultrasonicated lipoproteins, 404  
 Electrophoresis, cellulose acetate, of rat lymph lipoproteins, 409  
 Electrophoresis, polyacrylamide gel, of ribonuclease, 229  
 Eleostearic acid, synthesis, enzymes of, 445  
 Elongation, of odd chain fatty acids, 51  
 Elongation, fatty acid, by brain tissue cultures, 135  
 Embryonic tissue, chick, neutral lipid classes, 596  
 Emulsions, electron microscopy of, 234  
 — particle size, 234  
 — prep by ultrasonic dispersion, 234  
 — stability, 234  
 — with cholesterol oleate, 234  
 — with phosphatidyl choline, 234  
 — with triglyceride, 234  
 Endometrium, human, phospholipid content, 26  
 Endoplasmic reticulum, proliferation induced by DDT, 182  
 Environment, effect on salmon fatty acids, 90  
 Enzymatic protective mechanism, for lipid peroxidation in lung, 618  
 Enzyme, prep of cerebroside synthesizing, from brain, 525  
 Enzyme induction, rat adipose tissue, effect of exogenous lipid, 221

- Enzyme purification.** See specific enzyme
- Enzymes, epoxy acid hydratases, stereochemistry of,** 372
- of conjugated fatty acid metabolism, isolation, 445
- Epididymal fat, rat, phospholipid, plasmalogen content,** 766
- Epinephrine, and platelet aggregation, defects,** 60
- Epoxidation, use in anal of cis and trans fatty acids,** 469
- Epoxides, of cis, trans unsaturated fatty acids,** 459
- trans-12,13-Epoxyoleic acid, optical configurations of,** 372
- cis-9,10-Epoxyoleic acid, enzymic hydration, stereochemistry of,** 372
- optical configurations of, 372
- trans-9,10-Epoxyoleic acid, enzymic hydration, stereochemistry of,** 372
- optical configurations of, 372
- trans-12,13-Epoxyoleic acid, optical configurations of,** 372
- Ergostadienol, 4 $\alpha$ -methyl  $\Delta$ 8,14, in *C. ellipsoidea* culture, by GLC,** 635
- mass spectrum, 635
- Ergostadienol,  $\Delta$ 8,14, in *C. ellipsoidea* culture, by GLC,** 635
- Ergosterol,  $\Delta$ 8(9), in *C. ellipsoidea* culture, by GLC,** 635
- mass spectrum, 635
- Ergosterol, 4 $\alpha$ -methyl  $\Delta$ 8(9), in *C. ellipsoidea* culture, by GLC,** 635
- Ergosterol,  $\Delta$ 5, in *C. ellipsoidea* culture, by GLC,** 635
- Ergosterol, in mushroom lipids,** 251
- Ergosterol, 22 dehydro, in mushroom lipids,** 251
- mass spectrum, 251
- Erucic acid, effect on fatty deposition in cardiac tissue,** 548
- in cardiac triglycerides, 548
- in diet of rat and gerbils, 548
- See docosenoic acid
- Erythrocytes, effect of oxidized fat in diet on,** 780
- Escherichia coli, free fatty alcohols, metabolism and characterization,** 275
- lipid comp. aerobic and anaerobic growth, 275
- Essential fatty acid requirement, influence of DDT,** 182
- influence of proliferation of endoplasmic reticulum, 182
- Essential fatty acids, deficiency and fatty liver,** 387
- deficiency and glycoprotein biosynthesis, 387
- deficiency and lipid transport, 387
- deficiency and lipoprotein biosynthesis, 387
- deficiency and lipoprotein release, 387
- deficiency and liver triglycerides, 387
- deficiency and protein biosynthesis, 387
- deficiency and serum triglycerides, 387
- deficiency in cultured cells, fatty acid profile, 125
- Esterification, of cholesterol serum LCAT,** 426
- Esterolides, cleavage and ether formation,** 215
- in *L. auriculata* seed oil, 660
- in *Monnina emarginata* seed oil, 215
- Estrogens, effect on adipose tissue lipolytic activity,** 110
- effect on apolipoprotein biosynthesis, 110
- effect on extrahepatic triglyceride removal, 110
- effect on glucose tolerance, 110
- effect on insulin and glucose metabolism, 110
- effect on post-heparin lipolytic activity, 110
- effect on triglyceride biosynthesis, 110
- exacerbation of endogenous hyperlipoproteinemia, 110
- exacerbation of endogenous hypertriglyceridemia, 110
- hypertriglyceridemic effect, 110
- Ethanolamine glycerophosphatides. See phospholipids**
- Ethanolamine phosphoglycerides, ether-linked, biosynthesis and content in insects,** 528
- 1,2-<sup>14</sup>C-Ethanolamine, incorporation in phosphatidyl choline molecular species,** 142
- Ethionine, effect on linoleic acid desaturation,** 590
- lack of effect on chylomicron release, 380
- Ethyl acetate, media for photooxidation of tocopherol,** 442
- Ethyl linolenate hydroperoxide, synthetic method,** 518
- Ethyl-p-chloro-phenoxy isobutyrate, hypolipidemic drug in the dog,** 644
- Ethylene glycol, glycol analogue of phosphatidyl serine,** 680
- Ethylendiamine tetraacetic acid, effect of, on linoleic acid monolayer autoxidation,** 699
- Euglena gracilis, fatty acid compositional changes due to carbon source,** 217
- Everted sac, of rat intestine, fatty acid absorption,** 559
- Explants, brain, in tissue culture,** 135
- Eye lipids, sand trout,** 171
- Fat absorption, rat chylomicron phosphatidyl choline fatty acid profile,** 344
- rat chylomicron phosphatidyl choline molecular species, 344
- rat chylomicron phosphatidyl choline synthesis, 344
- Fat emulsion, as source of calories in infants fed intravenously,** 455
- Fat metabolism, in peanut cotyledons,** 159
- Fatty acid anhydrides, linoleic,** 261
- palmitic, 261
- synthesis with dicyclodihexylcarbodiimide, 611
- Fatty acid biosynthesis, by plant seed particulate fractions,** 8
- by plant seed supernatant, 8
- in plant seed subcellular fractions, 8
- in various plant seeds, 8
- regulation in cultured cells, 125
- Fatty acid chlorides, use of oxalyl chloride in synthesis,** 611
- Fatty acid desaturase, activation by dietary protein,** 363
- hen liver, inhibition by cyclopropane fatty acids, 335
- microsomal, assay, 363
- Fatty acid profile, adipose tissue,** 766
- beef brain cerebroside, 268
- cholesterol esters of adrenal gland, 474
- coelenterates, 624
- commercially available disialoganglioside standards, 271
- commercially available monosialoganglioside standards, 271
- commercially available trisialoganglioside standards, 271
- *Dioscoreophyllum cumminsii* seed oil, 435
- *Echinococcus granulosus*, 289
- gorgonian, 624
- heart muscles, human, 728
- human, mouse skin, 544
- human platelet lipids, abnormalities, 60
- in cultured cells, essential fatty acid deficiency, 125
- in cultured cells, regulation by growth medium, 125
- in *Euglena gracilis*, 217
- in Novikoff hepatoma cells, 556
- jellyfish *Aurelia aurita lamarch.*, 624
- *Microvelia auriculata* seed oil, 660
- microsomal, 363
- *O. danica*, 51
- moss, 710
- of alkyl diacyl glycerides from hepatoma cells, 556
- of *Bassia hyssopifolia*, 494
- of *Chenopodium quinoa*, 494
- of human myocardium, 728
- of human skin lipids, 506
- of *Kochia prostrata*, 494
- of *Kochia scoparia*, 494
- of lipid classes in bovine mammary microsomes, 165
- of neutral glycolipids from hepatoma cells, 556
- of oxidized fat, 780
- of rainbow trout, 450
- of rat liver, 182
- of salmon: growth, environment and stress, 90
- of *Suaeda setigera*, 494
- of tetraglycosyl ceramides from hepatoma cells, 556
- of thermophilic fungi, 695
- of triglycerides from hepatoma cells, 555
- oilseeds (rapeseed, soybean), 447
- ovine liver, *Echinococcus granulosus* infected, 289
- phospholipids of rat testes mitochondria, 534
- *R. arrhizus* lipids, effect of growth, 430
- rat chylomicron phosphatidyl choline, 344
- rat heart, dietary modification, 46
- rat liver, dietary modification, 46
- rat lung, serum, 715
- rat serum HDL, normal and EPA-deficient, 225
- rat serum LDL, normal and EPA-deficient, 225
- rat serum VLDL, normal and EPA-deficient, 225
- ruminant tissue lipids, protected dietary fat, 83
- sand trout eye lipids, 171
- triglycerides of rapeseeds and soybeans, 447
- wax esters, grasshopper cuticular lipids, 356
- Fatty acid synthesis, rat lung,** 207
- Fatty acid synthetase, nutritional regulation in cultured cells,** 146
- Fatty acids, absorption by the intestine,** 559
- albumin complexes, uptake by brain tissue cultures, 135
- and fatty alcohols interconversion, 528
- autoxidation, complex with salcomine, 788
- autoxidation, effect of heavy metal chelate, 755
- bovine mammary tissue, radio GLC, 349
- brain tissue cultures, argentation TLC, 135
- brain tissue cultures, GLC, 135
- carbon source, effects on comp in *Euglena gracilis*, 217
- cis and trans anal, octadecadienoate isomers, 459

## F

**Fat, oxidation, effects of tocopherol in diet,** 780

**Fat, dietary, protection from rumen hydrogenation,** 83

— transport by lymph lipoproteins, 409

- *cis* and *trans* anal, octadecenoate isomers, 459
- *cis*-5-monoenoic, in Chenopodiaceae seed oils, 494
- *cis*-9 positional specificity of lipase from *Geotrichum candidum*, 738
- comparison of isotopic and titration methods, intestinal absorption, 559
- content of commercial ganglioside standards, 271
- cyclohexyl in sheep perinephric fat, 683
- cyclopropane, biosynthesis in seeds, leaves and cell cultures of Malvaceae, 35
- desaturation by brain tissue cultures, 135
- desaturation in laying hens, 437
- dietary, deposition in rat heart, 46
- dietary, histopathology of rat heart, 46
- docosapentaenoic in rat heart phospholipids, 567
- effect of aging on synthesis, 576
- effect of ozonides on in rat tissue, 715
- effect on growth of hepatoma cells, 556
- elongation and desaturation by rat liver microsomes, 590
- elongation by brain tissue cultures, 135
- esterification in intestinal mucosa, 559
- hydroxy, 8-*coriolic*, 215
- hydroxy, 13-hydroxy-*cis*-9, *trans*-11, *cis*-15-octadecatrienoic acid, 191
- $\alpha$ -hydroxy, metabolism in peanut, 159
- $\alpha$ -hydroxylation, requirement for peroxide generation, 159
- in bovine hepatic microsomes, 212
- in glyceryl ether biosynthesis, 528
- in nuclear membranes of bovine liver, 212
- incorporation by microsomal lipids, 363
- incorporation into brain tissue culture lipids, 135
- incorporation into cultured cell lipids, 125
- inhibition of fatty acid absorption by NaF, 559
- mechanism of autooxidation with metals, 788
- metabolism in dogfish tissues, 240
- metabolism in metachromatic leucodystrophy, 135
- metabolism in skin, 544
- metabolism in Tay Sachs disease, 135
- metabolism of keto, 178
- microsomal, radio gas-liquid chromatography, 363
- mobilization, oxidation in cold acclimation, 310
- of *Moninia emarginata* seed oil, 215
- oxidation by egg plant lipoxigenase, 467
- palmitic and stearic acid content of chicken eggs and liver, 437
- quantitative anal, geometric and positional isomers, 459
- released by lipase on triglycerides, 738
- seasonal fluctuations in moss, 710
- structure by ozonolysis, 51
- unusual in ocean sunfish and marine turtles, 624
- uptake by brain tissue cultures, 135
- uptake by cultured cells, regulation of, 125
- Fatty acids, antelso**, in human skin lipids, 506
- Fatty acids, branched**, monomethyl, 683
- Fatty acids, branched chain**, in human skin lipids, 506
- Fatty acids, conjugated**, artifacts formed during methylation, 274
- biosynthesis, enzymes of, 445
- Fatty acids, cyclopropane**, distribution in plants, 30
- *dmn* of ring location, 398
- methoxyl derivatives, GLC, 398
- methoxyl derivatives, mass spectra, 398
- methoxyl derivatives, TLC, 398
- methoxylation, boron trifluoride-methanol, 398
- TLC, 398
- Fatty acids, cyclopropene**, chemical synthesis by chain elongation, 335
- distribution in plants, 30
- effect on fatty acid metabolism, 437
- GLC, 335
- structure and inhibition of fatty acid desaturase, 335
- Fatty acids, dihydroxy**, isolation from oils, 372
- optical configurations of, 372
- Fatty acids, epoxy**, optical configurations of, 372
- stereochemistry of enzymic hydrations of, 372
- Fatty acids, essential**, conversion to prostaglandins in man, 246
- deficiency in rat, 225
- effect of deficiency of binding of lipids to mitochondria, 534
- effect on testes phospholipid, fatty acid, 534
- in rat liver, 182
- Fatty acids, free**, chick, brain, heart, liver, 596
- diet and linoleate content in ruminant tissues, 83
- diet and profile in ruminant tissues, 83
- formation from monolein in rat intestine, 559
- formation from triglycerides in rat, 497
- in blood of intravenous fed infants, 455
- in bovine liver nuclear membranes and microsomes, 212
- of human heart muscles, 728
- Fatty acids, hydroxy**, formation in peanuts, 159
- GLC anal, 159
- in cerebrosides, effect on LCAT reaction, 733
- in sphingolipids, effect on LCAT reaction, 733
- plant enzyme system fractionation, 159
- TLC anal, 159
- Fatty acids, iso**, in human skin lipids, 506
- Fatty acids, metabolism**, by rat testis, 368
- Fatty acids, methyl esters**, autooxidation, complex with salcomine, 788
- autooxidation, effect of heavy metal chelates, 755
- binding to albumin, 186
- hydrolysis in mammalian tissues, 186
- platelets, gas-liquid chromatography, 60
- solubility of oxygen in, 755
- solubility of salcomine in, 755
- stability to BF<sub>3</sub>-methanol reagent, 268
- Fatty acids, trihydroxy**, optical configurations of, 372
- Fatty acids, non-esterified**, androgens and serum concentration, 100
- Fatty acids, odd chain**, absorption by *O. danica*, 51
- chemical synthesis, 51
- gas-liquid chromatography, 51
- in human skin lipids, 506
- metabolism in *O. danica*, 51
- structure and desaturation, 51
- structure in *O. danica*, 51
- Fatty acids, oxidation**, by rat testis, 368
- Fatty acids, polyunsaturated**, in rat heart phospholipids, 567
- of salmon: environment and stress, 90
- synthesis from acetate in skin, 544
- Fatty acids, porcine**, turnover rate using linolenic acid, 488
- Fatty acids, salmon**, gas-liquid chromatography, 90
- Fatty acids, unsaturated**, autooxidation of monolayers, 699
- biosynthesis in the hen, 437
- *cis*, *trans* isomers, anal of, 459
- *cis*-5-monoenoic in Chenopodiaceae seed oils, 494
- epoxidation of, 459
- *Euglena gracilis*, 217
- hydrolysis by lipase specificity for double bond, 738
- in human skin lipids, 506
- in rat heart, 567
- protection from rumen hydrogenation, 83
- synthesis, enzymes of, 445
- Fatty alcohols**, acetoxy derivatives, GLC, relative retention time, 275
- acetoxy derivatives, mass spectrometry, 275
- in glyceryl ether biosynthesis, 528
- metabolism by dogfish tissues, 240
- Fatty alcohols, cyclopropene**, column and thin-layer chromatography, 335
- intermediates in chemical synthesis of cyclopropene acids, 335
- Fatty alcohols, free**, in *E. coli*, characterization, 275
- in *E. coli*, metabolism, 275
- Fatty aldehydes**, in oyster lipids, 339
- oyster lipid colorimetric assay, 339
- Fatty aldehydes, free**, GLC, relative retention times, 275
- in *E. coli*, 275
- Fatty liver**, in EFA deficiency, 387
- Fatty ozonides**, toxicity in rats, 715
- Fatty peroxides**, toxicity in rats, 715
- Fecal lipids**, rat, effect of calcium and vitamin D<sub>2</sub>, 263
- Fecal sterols**, rat, effect of calcium compounds and vitamin D<sub>2</sub>, 263
- FFA**. See fatty acids, essential
- Fibroblasts**, mouse. See cultured cells
- Fish**, comp of gill lipids, 76
- eye lipids of sand trout, 171
- Fish, spur dogfish**, diacyl glyceryl ether synthesis in various tissues, 240
- *Squalus acanthias*, lipid synthesis, 240
- triglyceride synthesis in various tissues, 240
- wax ester synthesis in various tissues, 240
- Flour beetle**, inhibition of metamorphosis by azasteroids, 553
- Fluorescent molecular damage**, ribonuclease, 229
- Foam cell syndrome**, caused by 4,4'-diethylaminoethoxy-hexestrol, 1
- Free fatty acids**, in rat liver microsomes, 363
- Free radicals**, in autooxidation reaction, 671
- resonance structures, 671
- <sup>14</sup>C-Fructose**, lipid precursor in cultured cells, 146
- Fungal**, lipid comp, 695
- Fungisterol**, in mushroom lipids, 251

## G

- Galactoceramide**. See cerebroside
- Galactocerebroside**. See cerebroside
- Galactose oxidase**, in synthesis of ceramide galacturonate, 653



- Galactosidase**, in Krabbe's disease, 56  
**Galactosidase**, rat brain, stimulation of, 56  
 $\beta$ -D-Galactoside galactohydrolase. See  $\beta$ -galactosidase  
**Galactosylceramide**, biosynthesis in the developing mouse brain, 656  
 — containing hydroxy fatty acids, 266  
 — containing normal fatty acids, 266  
 — synthesis in jimpy mouse brain, 266  
**Gametophores**, fatty acid profile, 710  
**Ganglioside, disialo**, anal of commercially available standards, 271  
**Ganglioside, monosialo**, anal of commercially available standards, 271  
**Ganglioside, trisialo**, anal of commercially available standards, 271  
**Gas-liquid chromatography**, of cyclopropane fatty acids, 35  
**Gel filtration**, of ultrasonicated lipoproteins, 404  
**Geotrichum candidum**, lipase specificity for double bond position, 738  
**Gerbil, heart**, fatty acid content on high fat diet, 548  
 — triglyceride content on high fat diet, 548  
**Gerbil, Mongolian**, dietary glutamate and liver lipids, 394  
 — dietary glutamate and serum lipids, 394  
 — glutamate-induced hypocholesterolemia, 394  
**Gerbils**, effect of hepatic erucic acid on heart fat, 548  
**Gills, fish**, content of phospholipids, 76  
 — lipid comp, 76  
**Glass beads**, column packing, mitochondria lipid extraction, 534  
**Glucosamine**, incorporation into chylomicrons, 390  
**Glucose**, stimulation of in vitro incorporation in glucosylceramide by sphingosine, 525  
 — the enzymatic binding to sphingosine, 525  
 $^{14}\text{C}$ -Glucose, lipid precursor in cultured cells, 146  
 $\text{U-}^{14}\text{C}$ -Glucose, precursor for fatty acid biosynthesis in cultured cells, 125  
**Glucose-6-phosphate dehydrogenase**, in rat lung, 518  
 — nutritional regulation in cultured cells, 146  
**Glucose metabolism**, effect of estrogens, 110  
**Glucose tolerance**, effect of estrogens, 110  
**Glucosylceramide**, enzymatic synthesis stimulated by sphingosine, 525  
 — synthesis in jimpy mouse brain, 266  
**Glucosylsphingosine**, synthesis by rat brain microsomes, 525  
**Glutamic acid**, dietary, hepatic lipids, gerbil, 394  
 — hypocholesterolemic effect, gerbil, 394  
 — lack of brain lesions in gerbil, 394  
 — serum lipids, gerbil, 394  
**Glutamate oxalacetate transaminase**, in serum, 202  
**3-hydroxy-3-methyl Glutaryl coenzyme A hydrolase**, in rat liver, 630  
 — regulation of cholesterol biosynthesis, 630  
**Glutathione peroxidase**, assay method, 518  
 — in rat lung, 518  
**Glutathione reductase**, in rat lung, 518  
**Glutethimide**, effect on cholesterol esters in adrenal gland, 474  
**Glyceride structure**, *L. auriculata* seed oil, 660  
 $^{14}\text{C}$ -Glycerol, lipid precursor in cultured cells, 146  
**Glycerol**, solid phase isomerization with 1,3-di-*p*-nitrobenzoate, 626  
**Glycerol, 3-benzyl**, in synthesis of phosphoglycerides, 611  
**Glycerol, 1,2-carbonate**, in synthesis of phosphoglycerides, 611  
**Glycerol, isodehydrins**, in synthesis of phosphoglycerides, 611  
**Glycerol, 3-tetrahydropranyl**, in synthesis of phosphoglycerides, 611  
**Glycerol, 1-trityl, 3-benzyl**, in synthesis of phosphoglycerides, 611  
**Glycerol, 1,2-isopropylidene**, in synthesis of phosphoglycerides, 611  
**2-deoxy-Glycerol**, glycol analogue of phosphatidyl serine, 630  
**Glycerol-3-phosphate**, in synthesis of phosphoglycerides, 611  
**Glycerol ester hydrolase**. See lipase  
**Glycerol ether diesters**, embryonic tissue, 596  
**Glycerol ethers**, biosynthesis, in insects, 528  
 — in insects, 528  
 — in oyster lipids, 339  
**Glycerol ethers, diacyl**, synthesis in intestinal mucosa of spur dogfish, 240  
 — synthesis in liver of spur dogfish, 240  
 — synthesis in muscle of spur dogfish, 240  
 — synthesis in testes of spur dogfish, 240  
**Glycerol tridocosahexanoate**, in fish retinal tissue, 171  
**Glycolipids**, biosynthesis in the developing mouse brain, 656  
 — fatty acid incorporation, brain tissue cultures, 135  
 — fatty acid profile in hepatoma cells, 556  
 — in Novikoff hepatoma cells, 556  
 — in oyster lipids, 339  
 — of plants cyclopropane, cyclopropene fatty acids, 30  
**Glycoprotein**, biosynthesis in EFA-deficiency, 387  
**Glycosphingolipids**, synthesis of ceramide galacturonate, 653  
**Glycosylceramide**, biosynthesis in the developing mouse brain, 656  
**Grapefruit**, Duncan, hydrocarbon profile, 722  
**Grapefruit lipids**, juice sac, saturated and monoenoic long chain hydrocarbons, 666  
**Grasshopper**, fatty acid profile of cuticular wax esters, 356  
 — secondary alcohol-wax esters in cuticular lipids, 356  
**Growth**, aerobic, anaerobic, *E. coli* lipid metabolism, 275  
 — effect on salmon fatty acids, 90
- ## H
- Halofenate**. See MK-185  
**Halphen test**, activity of stercularic acid analogue, 769  
**Hamster, intestinal mucosa**, lysophosphatidyl choline acyltransferase, 593  
**HDL**. See high density lipoproteins  
**Health physics**, laboratory design in use of  $^3\text{H}$  and  $^{14}\text{C}$ , 604  
 — license requirements for  $^3\text{H}$  and  $^{14}\text{C}$ , 604  
 — monitoring of  $^3\text{H}$  and  $^{14}\text{C}$ , 604  
 — storage of  $^3\text{H}$  and  $^{14}\text{C}$  labeled compounds, 604  
 — waste disposal of  $^3\text{H}$  and  $^{14}\text{C}$ , 604  
**Heart, chick**, neutral lipid classes during development, 596  
**Heart, gerbil**, effect of erucic acid on triglycerides, 548  
**Heart, human**, lipid comp, 728  
**Heart, rat**, deposition of dietary fatty acids, 46  
 — diet induced deposition of fat, 46  
 — dietary fatty acids and fat deposition, 46  
 — effect of erucic acid on triglycerides, 548  
 — fatty acid profile, dietary modification, 46  
 — histopathology, myocytolysis, necrosis, fibrosis, 46  
 — methyl ester hydrolase, 186  
 — polyunsaturated acids of phospholipids, 537  
**Heart muscle, human**, phospholipid content, 26  
**HeLa cells**. See cultured cells  
**Heliothis virescens**, lipid biosynthesis in, 528  
**Hemolysis**, of rat erythrocytes, effect of oxidized fat, 780  
**Heparin**, and release of lipoprotein lipase in perfused rat, 497  
 — use in isolation of lipase and sterol ester hydrolase, 795  
**Hepatobiliary diseases**, bile acids in serum, 750  
 — liver function, 750  
**Hepatoma**, Novikoff, effect of fatty acids on growth in tissue culture, 556  
**Hepatoma 7288 C**, minimal deviation. See cultured cells  
**Hepatosplenomegaly**, human, induced by 4,4'-diethylaminoethoxyhexestrol, 1  
**Hexachloroepoxyoctahydroendo-exo-dimethanonaphthalene**. See dieldrin  
**cis-5-Hexadecenoic acid**, in Chenopodiaceae, 494  
 — in *Dioscoreophyllum cumminsii* seed oil, 435  
**trans-6-Hexadecenoic acid**, in gorgonian, 624  
 — in jellyfish, 624  
**Hexanal**, product of lipoxygenase reaction, 793  
**Hexanediol**, glycol analogue of phosphatidyl serine, 680  
**Hexokinase**, nutritional regulation in cultured cells, 146  
**High density lipoprotein**, in chicken serum, effect of dietary cholesterol, 742  
**Hornworm, tobacco**. See tobacco hornworm  
**House fly**, inhibition of metamorphosis by azasteroids, 553  
**Human, brain**, lipid comp, 561  
**Human, heart**, lipid comp, 728  
 — muscles, psoas, septum, lipid comp, comparison, 728  
 — ventricle, atrium, lipid comp, comparison, 728  
**Human, infants**, use of fat emulsion for intravenous feeding, 455  
**Human, lipoproteins**, binding of cholesterol, 733  
**Human, liver**, lipid comp in drug-induced lipidosis, 1  
**Human, myocardium**, lipid comp, 728  
**Human, platelets**, prostaglandin comp, metabolism in, 762  
**Human, psoas**, lipid comp, 728  
**Human, serum**, bile acid comp and content, 750  
 — effect of dietary calcium on lipid levels, 202  
 — effect of 4,4'-diethylaminoethoxyhexestrol on lipids of, 1  
 — LCAT activity effect on cerebroside, 733  
**Human, skin**, preputial, fatty acid profile, 544  
 — lipid comp, 506  
 — lipid metabolism, 506  
 — sterol esters, fatty acid profile, 506  
 — wax esters, fatty acid profile, 506  
**Human platelets**, prostaglandin content, 246  
 — synthesis of prostaglandins, 246  
**Hydrates, epoxyacid**, stereochemistry of, 372  
**Hydration, enzymic**, epoxy acid, stereochemistry, 372  
**Hydrocarbon profile**, citrus juice sac lipids, 686



- in citrus fruit hybrids, 722
  - Hydrocarbons, long chain, in citrus juice sac lipids, 666**
  - product of triglyceride pyrolysis, 773
  - Hydrocarbons, anteiso, long chain, in citrus juice sac lipids, 666**
  - Hydrocarbons, iso, long chain, in citrus juice sac lipids, 666**
  - Hydrocarbons, long chain, in citrus fruit hybrids, 722**
  - Hydrocarbons, unsaturated, in citrus fruit hybrids, 722**
  - Hydrogenation, of fat in rumen, protection by casein-formaldehyde, 83**
  - Hydrolysis, enzymatic, of cerebrosides and ceramides, 56**
  - Hydrolysis, phospholipids, rat bile, small intestine, 282**
  - Hydroperoxides, decomposition, by salcomine, 755**
  - 13-hydroperoxy-*cis*-9, *trans*-11-octadecatrienoic acid, 191
  - 13-hydroperoxy-*cis*-9, *trans*-11, *cis*-15-octadecatrienoic acid, 191
  - mechanisms of autoxidation, 671
  - nuclear magnetic resonance spectra, 191
  - rate of decomposition, 755
  - See linoleic acid hydroperoxide
  - toxicity in rat, 715
  - 9, Hydroperoxy-*trans*-10, *cis*-12-octadecadienoic acid. See linoleic acid hydroperoxide**
  - 13-Hydroperoxy-*cis*-9, *trans*-11-octadecadienoic acid. See linoleic acid hydroperoxide**
  - 20-Hydroxycholesterol, in adrenal glands, 474**
  - Hypercholesterolemia, biliary obstruction, 20**
  - Hyperlipemia, effect of hypolipidemic drugs, 644**
  - effect of oral calcium carbonate, 202
  - Hyperlipemia, Type II, effect of oral calcium, 202**
  - Hyperlipemia, Type IV, effect of oral calcium, 202**
  - Hyperlipemias, hyper- $\beta$ -lipoproteinemia, 194**
  - Hyperlipemias, Type IV, low density lipoprotein sub-fractionation, 194**
  - Hyperlipidemia, triton-induced, for drug screening, 68**
  - response to hypolipidemic agents, 68
  - serum lipid patterns, 68
  - Hypolipidemic drugs, clofibrate and nafenopin (SU-13437) in the dog, 644**
  - Hyperlipoproteinemia, response to MK-185, 96**
  - Hyperphenylalaninemia, effect on rat brain sterols, 628**
  - Hypocholesterolemia, in gerbil, glutamate-induced, 394**
  - Hypocholesterolemic agents, dietary calcium, 202**
  - Hypolipidemia, in rat, treatment with calcium and vitamin D<sub>2</sub>, 263**
  - Hypolipidemic agents, response of serum lipids, 68**
  - screening of activity, 68
  - Hypothyroidism, effects on serum lipids, 100**
  - role of androgens, 100
  - Hypotriglyceridemic agents, dietary calcium, 202**
- I**
- Immunoelectrodialysis, of ultrasonicated lipoproteins, 404**
  - Incubation medium, for plant callus tissue, 30**
  - for study of prostaglandins, metabolism, 762
  - Infants, human, use of fat emulsion for intravenous feeding, 455**
  - Infrared analysis, of triglyceride radiolysis products, 75**
  - Infrared spectra. See spectra, infrared**
  - Inositol glycerophosphatides. See phospholipids**
  - Insects, inhibition of metamorphosis by azasteroids, 553**
  - metabolism of azasteroids, 553
  - Insulin, and estrogens, 110**
  - Intestinal mucosa, hamster, lysophosphatidyl choline acyl-transferase, 593**
  - Intestinal mucosa, rat, oleic acid absorption, 559**
  - Intestine, rat, diacylglycerol formation, 256**
  - Intralipid, as source of calories for intravenous feeding, 455**
  - Intravenous diet, for infants, 455**
  - Intravenous feeding, of infants using fat emulsions, 455**
  - Isoenzymes, of egg plant lipoxigenase, 467**
  - Isotherms, absorption of linoleic acid on silica, 699**
  - Isotopic materials, specific activity by TLC-spectro-densitometry, 420**
- K**
- KB cells. See cultured cells**
  - Ketene, loss from tocopherols during mass spectrometry, 297**
  - Ketodihydrosphingosine, biosynthesis in the developing mouse brain, 656**
  - Ketones, products of triglyceride pyrolysis, 773**
  - Kidney, human, phospholipid content, 26**
  - Kidney, rat, galactosidase activity, 56**
  - Krabbe's disease, galactosidase activity in, 56**
- L**
- L-51784. See cultured cells**
  - Lactation, effect on lipoprotein lipase levels in mammary gland, rat, 497**
  - Lactic dehydrogenase, nutritional regulation in cultured cells, 146**
  - Lactobacilic acid. See fatty acids, cyclopropane**
  - Lactones, product of triglyceride pyrolysis, 773**
  - Lauric acid, methyl ester, enzymatic hydrolysis, 186**
  - Lavatera olbia rosea, cyclopropane, cyclopropene fatty acids in leaf, seed, stem, root callus, 30**
  - LCAT. See lecithin cholesterol acyltransferase**
  - LDL. See low density lipoproteins**
  - Lecithin. See phosphatidyl choline and phospholipids**
  - Lecithin-cholesterol acyltransferase, activity in adult and cord blood serum, 426**
  - assay, radiochemical, 426
  - assay method, 733
  - correlation with cholesterol concentration, 426
  - radiometric and colorimetric assay, 121
  - reaction rate, 733
  - Lecithin-cholesterol acyltransferase reaction, effect of cerebrosides, 733**
  - effects of mercaptoethanol, 121
  - effects of PCMB, 121
  - effects of peroxides, 121
  - Lemon lipids, juice sac, saturated and monoenoic long chain hydrocarbons, 666**
  - Lesquerella articulata, fatty acid profile of oil, 660**
  - Limnanthes douglasii, oil, effect of feeding on heart lipids, 548**
  - Linoleic acid, autoxidation of monolayer, on silica, 699**
  - conversion to ozonide, peroxide, 715
  - desaturation to  $\gamma$ -linolenic acid in microsomes, 363
  - effect of feeding on growth of trout, 450
  - effect of ozonides on in rat tissue, 715
  - lipoxigenase reaction mechanism, 793
  - oxidation by lipoxigenase, 467
  - seasonal fluctuations in moss, 710
  - substrate for soybean lipoxigenase, 191
  - synthesis in skin tissue, 544
  - turnover rate in pig adipose muscle tissue, 488
  - Linoleic acid, dietary, in casein-formaldehyde diets, 83**
  - incorporation in rumen tissue lipids, 83
  - protection from rumen hydrogenation, 83
  - Linoleic acid, hydroperoxides, addition to  $\alpha$ -tocopherol and analogs, 324**
  - column and thin-layer chromatography, 324
  - preparation with lipoxigenase, 324
  - UV and IR spectra, 324
  - Linoleic acid, methyl ester, oxidation by lipoxigenase, 793**
  - Linolenic acid, substrate for soybean lipoxigenase, 191**
  - $\gamma$ -Linolenic acid, by microsomal desaturation linoleic acid, 363**
  - Lipase, activity assay, 738**
  - chromatographic purification, 795
  - enzyme assay, 795
  - from *Geotrichum candidum*, specificity, 738
  - from rabbit pancreas, mole weight, activators, inhibitors of, 795
  - isolation from rabbit pancreas, 795
  - separation from hydrolase on DEAE cellulose, 795
  - skeletal muscle, effect of nafenopin (SU-13437) in the dog, 644
  - Lipase, castor bean, lipolysis of *L. auriculata* seed oil, 650**
  - Lipase, pancreatic, *M. emarginata* triglycerides, 215**
  - Lipid analysis, geometric isomers by gas chromatography, 459**
  - Lipid binding, to mitochondria protein of rat testes, 534**
  - Lipid content, of salmon: growth, environment and stress, 90**
  - Lipid extraction, from adrenal gland, 474**
  - from callus tissue, 30
  - from citrus fruit, 722
  - from incubation mixture, rat brain, 525
  - from moss, 710
  - from oilseeds, 447
  - from pig adipose, muscle tissue, 488
  - from plant tissue, 30
  - from rat testes mitochondria, 534
  - from thermophilic fungi, 695
  - from tung nuts, 445
  - of human, heart, muscles, 728
  - Lipid fractionation, by solvent extraction, 289**
  - Lipid implants, abdominal, tissue response, 305**
  - Lipid metabolism, cultured cells, response to exogenous fat, 146**
  - in cold acclimation rats, 310
  - in cultured cells, effect of growth medium, 125
  - regulation in cultured cells, 125, 146
  - response to androgens, 100

- Lipid metabolism, liver**, effect of clofibrate and beta-benzalbutyrate, 106
- Lipid oxidation**, in ultrasonicated lipoproteins, 404
- reaction of malonaldehyde with protein, 229
- Lipid peroxidation**, by ozone in rat lungs, 518
- Lipid profile**, of atherosclerotic plaques, 305
- *R. arrhizus*, effect of growth, 430
- Lipid transport**, in EFA-deficiency, 387
- response to androgens, 100
- Lipidosis**, drug-induced, caused by 4,4'-diethylaminoethoxyhexestrol, 1
- Lipids**, *p*-chlorophenoxyisobutyric acid and secretion in dog bile, 114
- growth and content in *R. arrhizus*, 430
- in dog bile, extraction and determination, 114
- in dog plasma, effects of *p*-chlorophenoxyisobutyric acid, 114
- in normal and atherosclerotic aortas, 305
- of citrus fruits, 722
- of gorgonian, 624
- of insects, 628
- of jellyfish, 624
- of oyster tissue, fractionation and determination, 339
- of thermophilic fungi, 695
- peroxidation of TPNH-oxidase reaction, 564
- rat testicular, palmitic acid incorporation, 368
- removal by ultrasonication of lipoproteins, 404
- role in vision, 171
- Lipids**, cuticular, grasshopper, column chromatography, TLC, 356
- grasshopper, wax esters, fatty acid profile, 356
- grasshopper, wax esters, secondary alcohols, 356
- Lipids**, lung, incorporation of  $^{14}\text{C}$  from acetate into phospholipids, neutral lipids and fatty acids, 207
- incorporation of  $^{14}\text{C}$  precursors into phospholipids, 207
- Lipids**, microsomal, TLC, 363
- Lipids**, neutral, growth and content in *R. arrhizus*, 430
- Lipids**, orange, juice sac, saturated and monoenic long chain hydrocarbons, 666
- Lipids**, polar, growth and content in *R. arrhizus*, 430
- Lipids**, serum, effect of dietary calcium, 202
- Lipogenesis**, effect of linoleate in rat adipose tissue, 221
- effect of oleate in rat adipose tissue, 221
- Lipolysis**, effect of linoleate, in rat adipose tissue, 221
- effect of oleate, in rat adipose tissue, 221
- Lipolytic activity**, in adipose tissue, response to estrogens, 110
- in pregnancy, 110
- Lipolytic activity**, post-heparin, response to anabolic-androgenic compounds, 110
- response to estrogens, 110
- response to progestagens, 110
- $\beta$ -Lipoprotein**, serum, release in EFA-deficiency, 387
- synthesis in EFA-deficiency, 387
- Lipoprotein lipase**, activity in cold acclimation, 310
- activity in rat adipose tissue, mammary gland, 497
- dog adipose tissue, effect of clofibrate on, 644
- Lipoproteinemia**, effect of estrogens, 110
- effect of progestagens, 110
- Lipoproteins**, chicken, ultracentrifugal fractionation, 742
- electrophoresis, 96
- metabolism in chickens, 742
- metabolism in chickens on cholesterol diet, 742
- rat serum, in essential fatty acid deficiency, 225
- rat serum HDL, comp and conc, 225
- rat serum LDL, comp and conc, 225
- rat serum VLDL, comp and conc, 225
- rotor selection for subfractionation, 194
- ultrasonication and agarose gel electrophoresis, 404
- ultrasonication and agarose gel precipitin reaction, 404
- ultrasonication and gel filtration profile, 404
- ultrasonication and immunoelectrodifusion, 404
- ultrasonication and lipid oxidation, 404
- ultrasonication and loss of lipid, 404
- ultrasonication and properties, 404
- ultrasonication and UV spectra, 404
- Lipoproteins**, chicken, serum, effect of dietary cholesterol on lipids, 742
- Lipoproteins**, human, binding of cholesterol, 733
- Lipoproteins**, plasma, density gradient centrifugation, 194
- high density (HDL), 194
- high density, subfractionation on NaBr gradient, 194
- low density (LDL), 194
- subfractionation, 194
- very low density (VLDL), 194
- Lipoproteins**, rat lymph, cellulose acetate electrophoresis, 409
- comp, particle size, 409
- density gradient zonal centrifugation, 409
- electron microscopy, 409
- role in dietary fat transport, 409
- Lipoproteins**, serum, response to androgens, 100
- Lipoproteins**, very low density, in cold acclimation, 310
- in rat lymph, comp, properties, role in fat transport, 409
- Lipoxygenase**, analytical method for reaction products, 793
- assay method, 467
- chromatographic method for analysis of reaction products, 793
- electrophoresis, 467
- from peanuts, 793
- immunological properties, 467
- in soybean, 191
- polyacrylamide gel electrophoresis, 467
- proof of the *trans*-11 double bond, 191
- properties of, 467
- purification from egg plant, 467
- reaction mechanism, 793
- reaction rate, 467
- reaction with linoleic acid, 793
- site of action on linoleic acid, 793
- substrate specificity, 467
- Lipoxygenase**, soybean, preparation of linoleic acid hydroperoxide, 324
- Liquid scintillation counting**,  $^3\text{H}$ -steroids after TLC, 420
- Liver**, betabenzalbutyrate inhibition of triglyceride synthesis, 106
- clofibrate and structural changes, 106
- clofibrate inhibition of triglyceride synthesis, 106
- EFA deficiency, glycoprotein synthesis, 387
- EFA deficiency, lipoprotein synthesis and release, 387
- EFA deficiency and fat deposition, 387
- lipids, effect of 4,4'-diethylaminoethoxyhexestrol, 1
- microsomal fatty acids of essential fatty acid deficient rat, 182
- perfused, cholesterol- $^{14}\text{C}$  secretion, 20
- perfused, cholesterol- $^{14}\text{C}$  synthesis, 20
- perfused, cholesterol- $^{14}\text{C}$  uptake, 20
- phospholipids in drug-induced lipidosis, 1
- protein biosynthesis and EFA deficiency, 387
- Liver**, bovine, lipids of bovine nuclear membranes and microsomes, 212
- Liver**, cancer, effect on bile acids in serum, 750
- Liver**, chick, neutral lipid classes during development, 596
- Liver**, chicken, cholesterol, regulatory role in cholesterol metabolism, 742
- effect of dietary cholesterol on lipids, 742
- lipid comp, 742
- Liver**, cholesterol, response to dietary glutamate, gerbil, 394
- Liver**, hen, inhibition of fatty acid desaturase by cyclopropene acids, 335
- Liver**, human, lipid comp in drug-induced lipidosis, 1
- phospholipid content, 26
- Liver**, mouse, cholesterol labeling from glucose, 692
- Liver**, ovine, fatty acid profile, infection with *Echinococcus granulosus*, 289
- Liver**, rat, cholesterol biosynthesis, effect of dietary cholesterol, 630
- cholesterol biosynthesis, effect of fasting, 630
- cholesterol metabolism in drug-induced lipidosis, 1
- diglyceride synthesis from  $2\text{-}^{14}\text{C}$ -acetate, 572
- effect of actinomycin D on cholesterol biosynthesis, 630
- effect of cyclohexamide on cholesterol biosynthesis, 630
- effect of 4,4'-diethylaminoethoxyhexestrol on lipids of, 1
- effect of triparanol on lipids of, 1
- fatty acid profile, dietary modification, 46
- fatty acid profile of lipids, 182
- 3-hydroxy-3-methyl glutaryl coenzyme A hydrolase, 630
- linoleic acid elongation and desaturation, effect of force fed protein, 590
- lipids in essential fatty acid deficiency, 182
- methyl ester hydrolase, 186
- microsomal fatty acid desaturation, 363
- microsomes, lipid peroxidation system in, 564
- mitochondria, effect of oxidized fat on, 780
- monophosphoinositides, 78
- oxidation of prostanoil carnitine by mitochondria, 752
- synthesis of phosphonolipids, 676
- TPNH-oxidase in, 564
- turnover of diglycerides, 572
- uptake of triglycerides, 497
- Liver**, ruminant, diet and fatty acid profile, 83
- Liver**, triglyceride, response to dietary glutamate, gerbil, 394
- Liver functions**, in hepatobiliary disease, 750
- Low density lipoprotein**, in chicken serum, effect of dietary cholesterol, 742
- Lung**, lipid synthesis in rat, 207
- Lung**, dogs, lipid comp, surface tension studies, 492
- Lung**, human, phospholipid content, 26
- Lung**, rat, edema caused by fatty ozonides, 715
- effect of oxidized fat on triglyceride of, 780

- fatty acid profile, 715  
**Lung surfactant**, potential interactions with cadmium and zinc, 490  
**Lungs, rat**, effect of ozone on lipids of, 518  
**Lupin seed**, fatty acid biosynthesis, 8  
**Lutein**, fatty acid esters in seed oils, 447  
**Lymph, rat**, lipoproteins comp, fat transport, 409  
**Lymph duct**, cannulation, in fat absorption studies, 344  
**Lymphoblasts**, murine leukemia. See cultured cells  
**Lysobisphosphatidic acid**, in drug-induced lipidosis, 1  
**Lysocleithin**. See lysophosphatidyl choline  
**Lysophosphatidyl choline**, acyltransferase in hamster intestinal mucosa, 593  
 —in adipose tissue, 766  
 —in human myocardium, 728  
 —in human tissues, 26  
 —in rat testes mitochondria, 534  
 —rat, liver, spleen, effect of 4,4'-diethylaminoethoxyhexestrol, 1  
**Lysophosphoglycerides**, review of synthesis and purification, 611
- M**
- M. psaos major, ruminant**. See muscle, ruminant  
**Malic dehydrogenase**, nutritional regulation in cultured cells, 146  
**Malic enzyme**, nutritional regulation in cultured cells, 146  
**Malonaldehyde**, degradation products of, reaction with protein, 229  
 —formation in rat lung by ozone, 518  
 —reaction with protein, 229  
 —stability on storage, 229  
**Malonyl CoA-1,3-<sup>14</sup>C**, incorporation into plant fatty acids, 8  
**Malva alcea fastigiata**, cyclopropane, cyclopropene fatty acids in leaf, seed, stem, root callus, 30  
**Malva moschata**, cyclopropane, cyclopropene fatty acids in leaf, seed, stem, root callus, 30  
**Malva parviflora**, cyclopropane, cyclopropene fatty acids in leaf, seed, stem, root callus, 30  
**Malva sylvestris**, cyclopropane, cyclopropene fatty acids in leaf, seed, stem, root callus, 30  
**Malvalic acid**, distribution in plants, 30  
 —See fatty acids, cyclic  
 —see fatty acid, cyclopropene, 35  
**Mammary gland, rat**, uptake of triglycerides, 497  
**Mammary tissue**, microsomal lipid comp in bovine, 165  
**Mammary tissue, bovine**, lipid synthesis, fatty acid desaturation, 349  
 —radio GLC of fatty acids, 349  
**Mandarin grapefruit**, Dancy, hydrocarbon profile, 722  
**Mandarin orange**, lipids, juice sac, saturated and monoenoic chain hydrocarbons, 666  
**Manduca sexta**. See tobacco hornworm  
**Mannitol**, in synthesis of phosphoglycerides, 611  
**Mass spectra**. See spectra, mass  
**Melanoplus packardii**. See grasshoppers  
**Melanoplus sanguinipes**. See grasshoppers  
**Membrane**, fatty acids of endoplasmic reticulum, 182  
**Membrane transport**, of carnitine in mitochondria, 752  
**Membranes**, proliferation of endoplasmic reticulum, 182  
**Menhaden oil**, oxidized, effect on rats, 780  
**Menispermaceae**. See *Dioscoreophyllum cumminsii*  
**Mercaptoethanol**, effects on plasma lecithin-cholesterol acyltransferase reaction, 121  
**Metabolism**, fatty alcohols in *E. coli*, 275  
 —in rat bile, 282  
 —in vitro, palmitic acid by rat testis, 368  
 —in vitro, palmitic acid by rat testis, 368  
 —lipid, brain tissue cultures, 135  
 —lipid synthesis in rat lung, 207  
 —odd chain fatty acids in *O. danica*, 51  
 —of neutral lipids in spur dogfish, 240  
 —phospholipid, in cultured cells, 142  
 —rat adipose tissue, effect of exogenous lipid, 221  
**Metachromatic leucodystrophy**, lipid metabolism in brain tissue cultures, 135  
**Metal chelates**, catalysts for autoxidation of fatty acids, 755  
**Metals**, effect on linoleic acid monolayer autoxidation, 699  
**Methandrostenolone**. See anabolic androgenic compounds  
**Methanolysis**, with BF<sub>3</sub>-methanol, of cerebrosides, 268  
**L-Methionine**, effect on acetate incorporation in plant fatty acids, 35  
**Methionine**[<sup>14</sup>CH<sub>3</sub>], methyl donor to cyclopropane fatty acids, 35  
**3β-Methoxy-chol-5-en-24-dimethylamine**, inhibitor of insect metamorphosis, 553  
**Methoxylation**, of cyclopropane acids with BF<sub>3</sub>-methanol, 398  
**Methoxyoctadecenoic acid**, methyl ester, formation during methylation of conjugated linoleic acids, 274
- Methyl ester hydrolase**, activity in mammalian cells, 186  
**Methyl esters**. See fatty acids, methyl esters, specific fatty acids  
**Methyl testosterone**. See anabolic androgenic compounds  
**3-Methyl-5-isoazolecarboxylic acid**, screening of hypolipidemic activity, 68  
**24-Methylcholesterol**, cholesterol precursor in hornworm, 156  
**10,11-Methylene-9-nonadecene**, an analogue of sterculic acid, 769  
 —chemical reactivity of, biological activity, 769  
 —synthesis and characterization, chromatography, 769  
**9,10-Methyleneoctadecanoic acid**. See fatty acids, cyclopropane  
**2-Methyl-2[p(1,2,3,4-tetra hydro-1-naphthyl)phenoxy] propionate**, as a hypolipidemic agent, 644  
**Microorganisms**, *Candida tropicalis*, metabolism of keto acid, 178  
 —*Escherichia coli* K-12, metabolism of keto acid, 178  
 —*Euglena gracilis*, effect of carbon source on fatty acid comp, 217  
 —*Euglena gracilis*, fatty acid comp, 217  
 —*Geotrichum candidum*, lipase from, specificity to double bond position, 738  
 —*Mucor miehei*, fatty acid profile, 695  
 —*Myriococcus albomyces*, fatty acid profile, 695  
 —*Papulaspora thermophila*, fatty acid profile, 695  
 —*Rhizopus* sp., fatty acid profile, 695  
 —*Thielavia thermophila* (+), fatty acid profile, 695  
 —*Thielavia thermophila* (—), fatty acid profile, 695  
 —*Tonla thermophila*, fatty acid profile, 695  
**Microsomes**, bovine mammary, acyl transferase, 349  
 —bovine mammary, deacylase, 349  
 —bovine mammary, steryl desaturase, 349  
 —bovine mammary, thiolase, 349  
 —bovine mammary, triglyceride biosynthesis, regulation, 349  
 —from lactating bovine mammary tissue, 165  
 —hamster, intestinal mucosa, lysophosphatidyl choline acyltransferase, 593  
 —lipid comp in bovine liver, 212  
 —mechanism for lipid peroxidation system in rat liver, 564  
 —methyl ester hydrolase, in Ehrlich ascites tumor cells, 186  
 —rat brain, synthesis of glucosylsphingosine, 525  
 —rat liver, linoleic acid elongation and/or desaturation, 590  
 —rat liver, lipid peroxidation system in, 564  
 —vesicular glands, prostaglandin biosynthesis, 415  
**Microsomes, rat liver**, desaturation of linoleic acid, assay, 363  
 —dietary protein and fatty acid desaturase, 363  
 —free fatty acids, 363  
 —incorporation of fatty acids, 363  
**Migration, salmon**, fatty acid comp, 90  
 —lipid content, 90  
**Milk**, lipid classes, 165  
**Millipore filtration**, separation of chylomicrons and mucosal cells, 380  
**Mitochondria**, lipid comp of, in rat testes, 534  
 —lipid extraction by solvents of differing dielectric constant, 534  
 —prep from rat testes, 534  
 —proliferation in cold acclimation, 310  
 —protein turn-over in cold acclimation, 310  
 —rat, liver, effect of oxidized fat on, 780  
**Mitochondria, rat**, oxidation of prostanoyl carnitine, 752  
**MK-185**, and plasma cholesterol, 96  
 —assay by gas-liquid chromatography, 96  
 —and plasma triglycerides, 96  
 —clinical evaluation, 96  
 —hypolipidemic effects, 96  
 —plasma uric acid and protein bound iodine, 96  
 —serum chemistry, 96  
 —side effects, 96  
**Molecular species**, interconversion in monophosphoinositides, 78  
 —phosphatidyl choline, choline incorporation, 142  
 —phosphatidyl choline, cultured cells, 142  
 —phosphatidyl choline, ethanolamine incorporation, 142  
 —phosphatidyl choline by argentation TLC, 344  
 —phosphatidyl choline in rat chylomicron and fat absorption, 344  
**Monoglyceride lipase**, role in fatty acid absorption by intestine, 539  
**Monoglycerides**, formation from triglycerides in rat, 497  
**Monolayers**, from dog lung lipids, surface tension of, 492  
 —of dipalmitoyl phosphatidyl choline with cadmium and zinc, 490  
 —on silica, autoxidized linoleic acid, 699  
**Monophosphoinositides**, fatty acid positional isomers, 78  
 —molecular species in rat liver, 78  
 —rat liver, 78  
**Mosquito**, inhibition of metamorphosis by azasteroids, 553

- Moss**, fatty acid profile, 710  
**Moss, Mniun cuspidatum**, arachidonic, eicosapentaenoic acid, seasonal variation, 710  
 — fatty acids of gametophores, 710  
 — fatty acids of sporophytes, 710  
 — unsaturated fatty acids in, 710  
**Mouse, brain**, cholesterol labeling from glucose, 692  
 — sphingolipid and myelin accumulation, 656  
**Mouse, jimpy**, brain sphingolipid biosynthesis *in vitro*, 266  
 — sulfatide synthesis, 259  
**Mouse, liver**, cholesterol labeling from glucose, 692  
**Mouse, quaking**, brain sulfatide synthesis by microsomes, 259  
**Mouse, skin**, fatty acid profile, 544  
**Mouse brain**, sulfatide synthesis by microsome, 259  
**Mucosal cells**, electron micrographs, 380  
**Mucosal cells, fat-laden**, release by collagenase, 380  
**Mucosal cells, rat**, isolation from intestine, 380  
**Mucosal cells, rat intestine**, chylomicron synthesis, 380  
 — electron microscopy, 380  
 — lipid synthesis, 380  
 — protein synthesis, 380  
**Muscle, dog, skeletal**, effect of nafenopin on lipase activity, 644  
**Muscle, pig**, fatty acid turnover rates, 488  
**Muscle, rat**, synthesis of phospholipids, 676  
**Muscle, ruminant**, diet and fatty acid profile, 83  
**Mushroom**, incorporation of U-<sup>14</sup>C-acetate into neutral lipids, 251  
 — incorporation of U-<sup>14</sup>C-acetate into phospholipids, 251  
 — incorporation of U-<sup>14</sup>C-linoleate into neutral lipids, 251  
 — incorporation of U-<sup>14</sup>C-linoleate into phospholipids, 251  
 — sterols, 251  
**Mycolic acid**. See fatty acids, cyclopropane  
**Myelin**, biosynthesis in the developing mouse brain, 656  
 — brain, quaking mouse, 259  
 — sphingolipid synthesis in jimpy mouse, 266  
**Myocardial infarction**, effect of oral calcium on serum lipids, 202  
**Myocardium, human**, lipid comp, 728  
**Myo-inositol-2-<sup>3</sup>H**, incorporation into molecular species of rat liver MPI, 78  
**Myristic acid**,  $\alpha$ -hydroxy, GLC anal, 159

## N

- NAD<sup>+</sup>**. See TPNH  
**Nafenopin (SU-1347)**, hypolipidemic drug in the dog, 644  
**Nafloxidine hydrochloride**, screening of hypolipidemic activity, 68  
**Neuraminic acid, N-acetyl**, content of commercial ganglioside standards, 271  
**Neutral lipids**, chick, brain, heart, liver, during development, 596  
 — distribution in bovine liver nuclear membranes and microsomes, 212  
 — of plants cyclopropane, cyclopentene fatty acids, 30  
 — of trout, fatty acid profile, 450  
**Nicotinic acid**, screening of hypolipidemic activity, 68  
**Nitrogen balance**, of infant on intravenous feeding schedule, 455  
**NMR**, of triglyceride radiolysis products, 75  
**9,10-Nonadecadiene**, synthesis, 769  
**Nonanal**, autooxidation of, 671  
**Nordihydroguaric acid**, inhibitor of lipoxygenase, 467  
**Norethindrone acetate**. See progestagens  
**Nuclear membranes**, lipid comp in bovine liver, 212  
**Nucleic acid**, incorporation of 6-<sup>14</sup>C orotic acid, 221  
 — incorporation of <sup>32</sup>P in rat adipose cells, 221

## O

- O. danica**, absorption of odd chain fatty acids, 51  
 — fatty acid profile, 51  
 — metabolism of odd chain fatty acids, 51  
 — structure of odd chain fatty acids, 51  
**cis-9, trans-11, Octadecadienoic acid**, methyl ester formation, 274  
**trans-10, cis-12, Octadecadienoic acid**, methyl ester formation, 274  
**12-hydroxy-cis-9, cis-15 Octadecadienoic acid**, in *L. auriculata* seed oil, 660  
**9,11,13-Octadecatrienoic acid**, synthesis, enzymes of, 445  
**9-Octadecene**, synthesis, 769  
**5-Octadecenoic acid**, in *Chenopodiaceae*, 494  
**cis-5-Octadecenoic acid**, in *Dioscoreophyllum cumminsii* seed oil, 435

- 6-cis-Octadecenoic acid**, effect on growth of hepatoma cells, 556  
**Oilseed, Aleurites fordii hemal.**, conjugated fatty acids, 445  
**Oilseed, Malvaceae species**, fatty acid biosynthesis in, 35  
**Oilseeds, Brassia hysopifolia**, fatty acid profile, 494  
 — *carotenic esters*, fatty acid profile, 447  
 — *Chenopodium quinoa*, fatty acid profile, 494  
 — cyclopropane fatty acids in, 30  
 — *Kochia prostrata*, fatty acid profile, 494  
 — *Kochia scoparia*, fatty acid profile, 494  
 — *Monnina emarginata*, 215  
 — *Suaeda setigera*, fatty acid profile, 494  
**Olefinic bonds**, location of, in monoenoic esters by mass spectrometry, 494  
**Oleic acid**, absorption by intestinal mucosa, 559  
 — autooxidation of, 671  
 — biosynthesis from acetic acid in the hen, 437  
 — biosynthesis from stearic acid in the hen, 437  
 — distribution in mammary tissue lipids, 349  
 — effect of ozonides on in rat tissue, 715  
 — effect on growth of hepatoma cells, 556  
 — incorporation into lipids, bovine mammary microsomes, 349  
**Oleic acid, methyl ester**, enzymatic hydrolysis, 186  
**Oleic acid-1-<sup>14</sup>C**, metabolism by plant cell cultures, 35  
**Onchorynchus keta**. See salmon  
**Oral contraceptives**. See estrogens and progestagens  
**Orange, mandarin**, lipids, juice sac, saturated and monoenoic long chain hydrocarbons, 666  
**Osteoporosis, human**, oyster shell calcium compounds, 263  
**Oxandrolone**. See anabolic androgenic compounds  
**Oxidation, enzymic of linoleic acid**, 793  
 — of fatty acids by rat testis, 368  
 — of linoleic acid by lipoxygenase, 793  
 — of trihydroxystearic acid, 372  
**Oxidation, lipid**, in ultrasonicated lipoproteins, 404  
 **$\alpha$ -Oxidation**, in plant cell cultures, 35  
**Oxidative phosphorylation**, in cold acclimation, 310  
**4-Oxodecanoic acid**, metabolite, *E. coli* and *Candida*, GLC, 178  
 — methyl ester, mass spectrum, 178  
**6-Oxodecanoic acid**, metabolite, *E. coli* and *Candida*, GLC, 178  
**10-Oxodecanoic acid**, metabolite, *E. coli* and *Candida*, GLC, 178  
**12-Oxo-octadecanoic acid**, metabolism by *E. coli* and *Candida*, GLC, 178  
**8-Oxotetradecanoic acid**, metabolite, *E. coli* and *Candida*, GLC, 178  
**Oxygen**, reaction with tocopherol, 442  
 — solubility in fatty acid methyl esters, 755  
**Oxygen uptake**, in cold acclimation, 310  
**Oxymethylenone**. See anabolic androgenic compounds  
**Oyster**, lipid profile, 339  
**Oyster, shell**, for calcium supplementation, 263  
**Ozone**, effect on rat lung lipids, enzymes, 518  
**Ozonolysis**, of 14-hydroxy-*cis*-11, *cis*-17 eicosadienoic acid, 620  
 — of unsaturated fatty acids from skin, 544  
 — unsaturated fatty acids, 51

## P

- Palmitic acid,  $\alpha$ -hydroxy**, 159  
 — *in vitro* metabolism by rat testis, 368  
 — *in vivo* metabolism by rat testis, 368  
 — oxidation by rat testis, 368  
**Palmitic acid, butyl ester**, enzymatic hydrolysis, 186  
**Palmitic acid, methyl ester**, enzymatic hydrolysis, 186  
**Palmitoleic acid**, biosynthesis from acetic acid in the hen, 437  
**Pancreas, rabbit**, sterol ester hydrolase, lipase, 795  
**Pancreatic lipase**, diglycerides from lard triglycerides, 256  
 — in synthesis of phosphoglycerides, 611  
 — lipolysis of *L. auriculata* seed oil, 660  
 — structure of bovine mammary microsomal triglycerides, 165  
**Papain**, inactivation by malonaldehyde, 229  
**Paper, filter**, phase separating, 246  
**Parenteral nutrition**, of infants using fat emulsions, 455  
**Pea seed**, fatty acid biosynthesis, 8  
**Peanut**, decarboxylation of 1- $\alpha$ -hydroxy palmitic acid, 169  
 — fat metabolism, 169  
 —  $\alpha$ -oxidation system, 169  
 — peroxidative enzymatic  $\alpha$ -hydroxylation of palmitic acid, 159  
**Peanuts**, lipoxygenase in, 793  
**2,2,5,7,8-Pentamethyl-6-chromanol**, photooxidation in ethyl acetate, 442  
 — reaction with oxygen under UV light, 442  
**2,2,5,7,8-Pentamethyl-6-hydroxychroman**. See tocopherol  
**Peracetic acid**, use in anal of *cis* and *trans* fatty acids, 459



- Perfusion**, of rat adipose tissue, uptake of triglycerides, 497
- Perinephric fat**, sheep, branched chain fatty acids, 683
- Peroxisation**, mechanism of TPNH-oxidase reaction, 564  
— mechanism of, 671
- Peroxide**, hydrogen, effects on plasma lecithin-cholesterol acyltransferase reaction, 121
- Peroxides**, in rat tissue, after feeding, injection of fatty ozonides, peroxides, 715
- Peroxides**, lipid, effects on plasma lecithin-cholesterol acyltransferase reaction, 121
- Peroxy radicals**, complex with salcomine, 788
- formation in autoxidation, 788
- Pesticides**, effect on metabolism of essential fatty acids in liver, 182
- PF-3**. See platelet factor 3
- PGA**. See prostaglandins
- PGB**. See prostaglandins
- PGE<sub>2</sub>**. See prostaglandins
- Phenotyping**, hyperlipemias, 202
- PHLA**. See lipolytic activity, post-heparin
- Phosphatidic acid**, in human tissues, 26  
— rat, liver, spleen, effect of 4,4'-diethylaminoethoxyhexestrol, 1  
— review of synthesis and purification, 611
- Phosphatidyl choline**, content in human platelets, abnormalities, 60  
— cultured cells, argentation TLC, 142  
— cultured cells, molecular species, 142  
— cyclopropane, cyclopropene fatty acids in oilseeds, 30  
— 1,2-dilinoyleoyl, synthesis, 261  
— 1,2-dipalmitoyl, synthesis, 261  
— egg, purification and hydrolysis to 1-acyl-lysophosphatidyl choline, 593  
— emulsions with cholesterol oleate, 234  
— emulsions with triglyceride, 234  
— emulsions with triglyceride and cholesterol, 234  
— fatty acid comp in human platelets, abnormalities, 60  
— from lung of dogs, surface tension of, 492  
— in adipose tissue, 766  
— in bovine liver nuclear membranes and microsomes, 212  
— in bovine mammary microsomes, 165  
— in dog bile, effect of *p*-chlorophenoxyisobutyric acid, 114  
— in dog plasma, effect of *p*-chlorophenoxyisobutyric acid, 114  
— in human myocardium, 728  
— in human tissues, 26  
— in rat lung, 207  
— in rat testes mitochondria, 534  
— incorporation of 1,2-<sup>14</sup>C-choline, cultured cells, 142  
— incorporation of 1,2-<sup>14</sup>C-ethanolamine, cultured cells, 142  
— positional distribution of fatty acids, 165  
— rat, liver, spleen, effect of 4,4'-diethylaminoethoxyhexestrol, 1  
— rat chylomicrons, argentation TLC, 344  
— rat chylomicrons, fat absorption and fatty acid profile, 344  
— rat chylomicrons, fat absorption and molecular species, 344  
— rat chylomicrons, incorporation of [Me-<sup>3</sup>H] choline, 344  
— rat chylomicrons, synthesis during fat absorption, 344  
— review of synthesis and purification, 611  
— synthesis by hamster intestinal mucosa, 593
- Phosphatidyl ethanolamine**, content in human platelets, 60  
— cyclopropane, cyclopropene fatty acids in oilseeds, 30  
— fatty acid comp in human platelets, 60  
— in adipose tissue, 766  
— in bovine liver nuclear membranes and microsomes, 212  
— in bovine mammary microsomes, 165  
— in human myocardium, 728  
— in human tissues, 26  
— in rat testes mitochondria, 534  
— phosphonic acid analogue, 676  
— rat, liver, spleen, effect of 4,4'-diethylaminoethoxyhexestrol, 1  
— review of synthesis and purification, 611  
— synthesis, triisopropylbenzenesulfonfyl chloride as coupling agent, 611
- Phosphatidyl glycerol**, from lung of dogs, surface tension of, 492  
— in rat testes mitochondria, 534
- Phosphatidyl inositol**, cyclopropane, cyclopropene fatty acids in oilseeds, 30  
— in adipose tissue, 766  
— in bovine liver nuclear membranes and microsomes, 212
- in bovine mammary microsomes, 165  
— in human myocardium, 728  
— in human tissues, 26  
— in rat testes mitochondria, 534  
— propylene glycol analogue, 680  
— rat, liver, spleen, effect of 4,4'-diethylaminoethoxyhexestrol, 1
- 6-Phosphogluconate dehydrogenase**, nutritional regulation in cultured cells, 146
- Phosphoglycerides**, protective groups in synthesis, 611
- Phospholipase A<sub>1</sub>**, in synthesis of phosphoglycerides, 611  
— hydrolysis of phosphonolipids, 676  
— stereospecific anal of *M. emarginata* seed oil, 215  
— structure of bovine mammary microsomal phosphatidyl choline, 165  
— synthetic phosphatidyl choline, 261
- Phospholipase A<sub>2</sub>**, intestinal hydrolysis bile phospholipids, 282  
— stereospecific anal of rat intestinal diglycerides, 256
- Phospholipase D<sub>1</sub>**, hydrolysis of phosphonolipids, 676
- Phospholipids**, acidic, accumulation in liver and spleen, 1  
— bind to mitochondria, 534  
— biosynthesis in isolated mucosal cells, 380  
— chick, brain, heart, liver, percent change with development, 596  
— class distribution in bovine mammary tissue, 165  
— class distribution in fresh whole milk, 165  
— comp in fish gills, 76  
— comp in normal and defective platelets, 60  
— content of lysobisphosphatidic acid, 1  
— distribution in bovine liver nuclear membranes and microsomes, 212  
— effect of EFA deficiency on, rat testes, 534  
— effect on cellular uptake of cholesterol, 305  
— fatty acid incorporation, brain tissue cultures, 135  
— fatty acid profile, in human heart, 728  
— fatty acid profile, rat testes mitochondria, 534  
— fatty acid profile in human platelets, abnormalities, 60  
— fatty acid profile in rat serum HDL, 225  
— fatty acid profile in rat serum LDL, 225  
— fatty acid profile in rat serum VLDL, 225  
— from human tissues, thin-layer chromatography, 26  
— in adipose tissue, 766  
— in bovine mammary microsomes, 165  
— in chicken lipoproteins, 742  
— in *Echinococcus granulosus*, thin layer chromatography, 289  
— in high density lipoprotein subfractions, 194  
— in human tissues, 26  
— in low density lipoprotein subfractions, 194  
— metabolism in cultured cells, 142  
— of human heart muscles, 728  
— of insects, biosynthesis of acyl and ether linkages, 528  
— of plants cyclopropane, cyclopropene fatty acids, 30  
— of rat testes mitochondria, 534  
— of trout, fatty acid profile, 450  
— platelets, thin-layer chromatography, 60  
— rat liver and spleen, in drug-induced lipidosis, 1  
— rat testicular, palmitic acid incorporation, 368  
— ruminant tissues, fatty acid profile and diet, 83  
— ruminant tissues, linoleate content and diet, 83  
— solvent extraction from mitochondria, 534
- Phospholipids**, bile, enterohepatic circulation, 282  
— hydrolysis in small intestine, 282  
— labeling with <sup>14</sup>C and <sup>3</sup>H, 282  
— metabolism in rat, 282  
— thin-layer chromatography, 282
- Phospholipids**, serum, glutamate and dietary cholesterol, gerbil, 394
- Phosphonethanolamine**, synthesis in rat tissues, 676
- Phosphonolipids**, in oyster lipids, 339
- Phosphoric acid**, effect on linoleic acid monolayer autoxidation, 699
- Photodensitometry**, on TLC of insect lipids, 528
- Photooxidation**, of tocopherol and pentamethylchromanol, 442  
— with ultraviolet of tocopherol, 442
- Pig**, fatty acid turnover in adipose tissue, muscle, 488



- fatty acids, in adipose tissue, muscle extraction of, 488
  - tissue extraction using various solvent systems, 488
  - Fig.**, adipose tissue, fatty acid turnover rates, 488
  - Pig**, muscle, fatty acid turnover rates, 488
  - Pig**, epithelium, sand trout, lipids in, 171
  - Placenta**, human, phospholipid human, 26
  - Plant**, subcellular distribution of enzymes, 8
  - subcellular fractions, fatty acid biosynthesis, 8
  - subcellular fractions, isolation, 8
  - Plant cell cultures**, fatty acid biosynthesis, 35
  - $\alpha$ -oxidation of fatty acids, 35
  - Plant cell fractions**, isolation by centrifugation, 8
  - Plants**, peanut  $\alpha$ -oxidation system, 159
  - Plasma**, dog, clearance of chylomicron triglyceride, 644
  - effects of hypolipidemic drugs, 644
  - Plasma**, lipids, effects of *p*-chlorophenoxyisobutyric acid in dog, 114
  - Plasma**, rat, triglyceride levels after fat perfusion, 497
  - Plasma**, ruminant, diet and fatty acid profile, 83
  - Plasmalogen**, biosynthesis from alkyl glyceryl ethers, 528
  - in adipose tissue, 766
  - in oyster lipids, 339
  - in rat adipose tissue, 766
  - isolation from adipose tissue, 766
  - separation of alk-1-enyl and alkyl from diacyl lipids, 766
  - Platelet factor 3**, and platelet aggregation, defects, 60
  - Platelets**, human, acetate incorporation into prostaglandins, 762
  - aggregation by various agents, 60
  - defects and lipid comp, 60
  - isolation, 246
  - phospholipid comp, abnormalities, 60
  - phospholipid fatty acids, abnormalities, 60
  - prostaglandin comp, metabolism in, 762
  - prostaglandin content, 246
  - synthesis of prostaglandins, 246
  - Polyacrylamide gel electrophoresis**, of chicken serum lipoproteins, 742
  - Polyglycerophosphatidic acid**, in rat testes mitochondria, 534
  - Potassium**, levels in blood of infants, 455
  - Precipitin reaction**, agarose gel, of ultrasonicated lipoproteins, 404
  - Pregnancy**, effect of triglyceride clearance in rat, 497
  - plasma and adipose tissue lipolytic activity, 110
  - Preputial skin**, human, fatty acid profile, 544
  - Progestagens**, effect on hyperlipoproteinemia, Type IV, 110
  - effect on hypertriglyceridemia, 110
  - effect on post-heparin lipolytic activity, 110
  - hypotriglyceridemic effect, 110
  - Propylene glycol**, glycol analogue of phosphatidyl serine, 689
  - Prostaglandin**, human platelet levels, 246
  - Prostaglandin E<sub>1</sub>**, synthesis in human platelets from 1-<sup>14</sup>C-acetate, 246
  - Prostaglandin E<sub>2</sub>**, synthesis in human platelets from 1-<sup>14</sup>C-acetate, 246
  - Prostaglandin E<sub>3</sub>**, synthesis in human platelets from 1-<sup>14</sup>C-acetate, 246
  - Prostaglandins**, assay, spectrophotometric, 415
  - biosynthesis, tracer experiments, human platelets, 762
  - biosynthesis from arachidonic acid, 622
  - biosynthesis from homo.  $\gamma$ -linolenic acid, 622
  - biosynthesis in human platelets, 762
  - chromatography of, 762
  - E<sub>1</sub>, E<sub>2</sub>, F, A and B, 762
  - in human platelets, 762
  - in rat vesicular glands, PGE and PGE<sub>2</sub>, 622
  - isolation, chromatography, silicic acid column, thin-layer silver nitrate thin-layer, 762
  - isolation from human platelets, 762
  - isolation from vesicular glands, 415
  - metabolism in human platelets, 762
  - microsomal biosynthesis in vitro, 415
  - purification, dialysis, column and thin-layer chromatography, 415
  - Prostanol**, acid, conversion to prostanoyl carnitine, 752
  - Prostanol**, prostaglandin analogue, 752
  - Prostanoyl carnitine**, IR spectra, 752
  - oxidation by rat liver mitochondria, 752
  - synthesis, metabolism, 752
  - Protein**, cross-linking with malonaldehyde, 229
  - Protein**, biosynthesis, by rat liver in EFA-deficiency, 387
  - Protein**, dietary, activation of linoleyl desaturase, 363
  - and microsomal free fatty acids, 363
  - fatty acid incorporation in microsomal lipids, 363
  - Protein**, mitochondrial, turnover in cold acclimation, 310
  - Protein-bound iodine**, response to MK-185, 96
  - Proteins**, of chicken serum lipoproteins, 742
  - Proteins**, serum, response to androgens, 100
  - Protozoan**, photosynthetic. See *O. danica*
  - Psos**, human, lipid comp, 728
  - Psycholine**, biosynthesis in the developing mouse brain, 656
  - Pulmonary surfactant**, surface tension of, from beagle dogs, 492
  - Puromycin**, effect on chylomicron release, 380
  - effect on protein synthesis in isolated mucosal cells, 380
  - Pyrolysis**, of saturated triglycerides, 773
  - of tocopherol dimers in reaction gas chromatography, 483
- Q**
- Quinone**, formation by photooxidation of tocopherol, 442
  - Quinone oxide**, formation by photooxidation of tocopherol, 442
- R**
- Rabbit**, pancreas, sterol ester hydrolase, lipase, 795
  - Radioisotopes**, health physics of <sup>3</sup>H and <sup>14</sup>C labeled compounds, 604
  - Radioanalysis of triglycerides**, alkylcyclobutanones from triglycerides, 75
  - Rancidity**, mechanisms of autooxidation, 671
  - Rapeseed**, carotenoid esters, fatty acid profile, 447
  - Rapeseed oil**, effect of feeding on heart lipids, 548
  - Rat**, age and diet effects on lipid metabolism, 576
  - body organs, effect of oxidized fat on, 780
  - effect on mortality of dietary fat by sex, 576
  - hypolipidemic effect of calcium compounds and vitamin D<sub>2</sub>, 263
  - metabolism and uptake of triglycerides in, 497
  - metabolism of monophosphoinositides, 78
  - monophosphoinositides of liver, 78
  - respiratory disease, effect of dietary fats on incidence with age, 576
  - Rat**, adipose tissue, diglyceride synthesis from 2-<sup>14</sup>C-acetate and <sup>14</sup>C(U)-glucose, 572
  - RNA content, 221
  - turnover of diglycerides, 572
  - uptake of triglycerides, 497
  - Rat**, brain, effect of hyperphenylalaninemia on sterols, 628
  - effect of neonatal food restriction on sterols, 628
  - cholesterol and deamosterol, in neonatal, 628
  - synthesis of glucosylsphingosine, 525
  - Rat**, chylomicrons, phosphatidyl choline, and fat absorption, 344
  - Rat**, epididymal fat, phospholipids, plasmalogen content, 769
  - Rat**, heart, fatty acid content on high fat diet, 548
  - hydroperoxides in after injection of fatty ozonides, 715
  - methyl ester hydrolase, 186
  - polyunsaturated acids of phospholipids, 567
  - triglyceride content on high fat diet, 548
  - Rat**, intestinal mucosa, oleic acid absorption, 559
  - Rat**, intestine, evert sacs, 256
  - formation of diacylglycerol, 256
  - Rat**, liver, cholesterol biosynthesis, effect of dietary cholesterol, 630
  - cholesterol biosynthesis, effect of fasting, 630
  - diglyceride synthesis from 2-<sup>14</sup>C-acetate, 572
  - effect of actinomycin D on cholesterol biosynthesis, 630
  - effect of cyclohexamide on cholesterol biosynthesis, 630
  - effect of triparanol on lipids of, 1
  - fatty acid profile, 182
  - 3-hydroxy-3-methyl glutaryl coenzyme A hydrolase, 630
  - inoleic acid elongation and desaturation, effect of force fed protein, 590
  - lipids in essential fatty acid deficiency, 182
  - methyl ester hydrolase, 186
  - microsomes, lipid peroxidation system in, 564
  - mitochondria, effect of oxidized fat on, 780
  - synthesis of phospholipids, 676
  - TPNH-oxidase in, 564
  - turnover of diglycerides, 572
  - uptake of triglycerides, 497
  - Rat**, lung, edema caused by fatty ozonides, 715
  - effect of oxidized fat on triglycerides of, 780
  - effect of ozone on lipids of, 518
  - fatty acid profile, 715
  - Rat**, mammary gland, uptake of triglycerides, 497
  - Rat**, mitochondria, oxidation of prostanoyl carnitine, 752
  - Rat**, muscle, synthesis of phospholipids, 676
  - Rat**, plasma, triglyceride levels after fat perfusion, 497
  - Rat**, serum, cholesterol content in drug-induced lipidosis, 1

- effect of oxidized fat on triglycerides of, 780
  - fatty acid profile, 715
  - lipoproteins in essential fatty acid deficiency, 225
  - Rat, spleen**, lipid comp in drug-induced lipidosis, 1
  - Rat, testes**, metabolism of palmitic acid, 368
  - phospholipid comp, 534
  - prep of mitochondria, 534
  - Rat, vesicular glands**, prostaglandin anal, 622
  - Rats**, effect of feeding erucic acid on heart fat, 548
  - on tocopherol free diet, effect on fat of, 780
  - Reaction gas chromatography**, anal of tocopherol dimers, 483
  - Red blood cells**. See erythrocytes
  - Relative retention times**, GLC, acetoxy alkanes, 275
  - GLC, fatty aldehydes, 275
  - Retina**, sand trout, lipids in, 171
  - Rhizopus arrhizus**, growth and fatty acid profile of lipid fractions, 430
  - growth and lipid profile, 430
  - Ribonuclease**, cross-linking with malonaldehyde, 229
  - inactivation by malonaldehyde, 229
  - Ribonucleic acid**, messenger, in rat adipose cells, 221
  - ribosomal and nuclear in rat adipose cells, 221
  - Ricinoic acid**, cofactor in synthesis of conjugated fatty acids, 445
  - Rose bengal**, used in sensitization of photooxidation of tocopherol, 442
  - Ruminants**, monomethyl-branched chain fatty acids of, 683
  - protection of dietary fats from hydrogenation, 83
  - tissue lipids, fatty acid profile, dietary fat, 83
  - tissue lipids, linoleate content and diet, 83
- S**
- Safflower oil**, dietary, rat chylomicron phosphatidyl choline
    - species, 344
    - oxidized, effect on rats, 780
  - Safflower seed**, fatty acid biosynthesis, 8
  - Salcomine**, autooxidation of fatty acid methyl esters, 788
  - complex with peroxy radicals, 788
  - IR, UV spectra of complex with autooxidized fatty acids, 788
  - solubility in fatty acid methyl esters, 755
  - Salmo gairdneri**, fatty acid profile, 450
  - Salmon fry**, environment and fatty acid profile, 90
  - environment and lipid content, 90
  - growth and fatty acid profile, 90
  - growth and lipid content, 90
  - stress and fatty acid profile, 90
  - stress and lipid content, 90
  - Sarcoma 180**. See cultured cells
  - Seal oil**, effect of feeding on heart lipids, 548
  - Serine glycerophosphatides**. See phospholipids
  - Serum, blood**, cholesterol esterification, LCAT reaction, 426
  - LCAT activity and free cholesterol concentration, 426
  - Serum, calcium, rat**, effect of calcium compounds and vitamin D<sub>2</sub>, 263
  - Serum, chickens**, cholesterol and lipoproteins conc, on cholesterol diet, 742
  - Serum, cholesterol**, response to dietary glutamate, gerbil, 394
  - Serum, free fatty acids**, response to androgens, 100
  - Serum, human**, bile acid comp and content, 750
  - effect of dietary calcium on lipid levels, 202
  - effect of 4,4'-diethylaminoethoxyhexestrol on lipids of, 1
  - LCAT activity effect of cerebroside, 733
  - Serum, lipids**, effect of oral calcium on cholesterol in man, 202
  - effect of oral calcium on phospholipids in man, 202
  - effect of oral calcium on total lipids in man, 202
  - effect of supplemental oral calcium in man, 202
  - in essential fatty acid deficient rat, 225
  - response to androgens, 100
  - response to hypolipidemic agents, 68
  - response to Triton WR-1339, 68
  - Serum, lipids, rat**, effect of calcium compounds and vitamin D<sub>2</sub>, 263
  - Serum, phospholipid**, response to dietary glutamate, gerbil, 394
  - Serum, rat**, cholesterol content in drug-induced lipidosis, 1
  - effect of oxidized fat on triglyceride of, 780
  - fatty acid profile, 715
  - Serum, triglycerides**, rat, effect of calcium compounds and vitamin D<sub>2</sub>, 263
  - response to dietary glutamate, gerbil, 394
  - Serum lipoproteins**, response to androgens, 100
  - Serum manganese, rat**, effect of calcium compounds and vitamin D<sub>2</sub>, 263
  - Sheep, perinephric fat**, branched chain fatty acids, 683
  - Sialic acid**, in bovine liver nuclear membranes and microsomes, 212
  - Silica**, adsorption of linoleic acid, conc effect, 699
  - Skeletal muscle**, non-shivering thermogenesis, 310
  - Skeletal muscle, human**, phospholipid content, 26
  - Skin, human**, lipid metabolism, 506
  - preputial, fatty acid profile, 544
  - Skin, mouse**, fatty acid profile, 544
  - Sodium**, levels in blood of infants, 455
  - Sodium fluoride**, inhibitor of fatty acid absorption by intestinal mucosa, 559
  - Solvent extraction**, differential, mitochondrial lipids, 534
  - for lipid fractionation, 289
  - Somatic tissues**, Malvaceae species, fatty acid biosynthesis in, 35
  - Soybean**, carotenoid esters, fatty acid profile, 447
  - lipoxigenase, 191
  - Soybean oil**, dtm of tocopherols and tocopherol dimers in, 483
  - Specific activity**, <sup>3</sup>H-steroids, by TLC-spectrodensitometry, 420
  - Spectra, infrared**, artifact formed during methylation of conjugated linoleic acid, 274
  - fatty acid autooxidation products, 755
  - of 4,4'-diethylaminoethoxyhexestrol, 1
  - of fatty acid peroxides, 788
  - of linoleic acid hydroperoxide, 324
  - of linoleic peroxide-tocopherol addition compound, 324
  - of 10,11-methylene-9-nonadecene, 769
  - of prostanoil carnitine, 752
  - of pyrolyzed triglycerides, 773
  - 4-oxodecanoic acid, 178
  - Spectra, mass**, acetoxy alkanes from *E. coli*, 275
  - artifact formed during methylation of conjugated linoleic acid, 274
  - cyclopropane acids, methoxyl derivatives, 398
  - *D. cummingsii* fatty acid esters, 435
  - $\Delta^{8(9)}$  ergosterol, 635
  - 14-hydroxy-*cis*-11, *cis*-17 eicosadienoic acid, 660
  - 4 $\alpha$ -methyl 245  $\Delta^{8,14}$  stigmastadienol, 635
  - mushroom sterols, 251
  - of linoleic peroxide-tocopherol addition compound, 324
  - of methoxy fatty acid methyl esters, 494
  - of pyrolyzed triglycerides, 773
  - of triglyceride radiolysis products, 75
  - secondary alcohols, grasshopper cuticular wax esters, 356
  - 245- $\Delta^{8(9)}$  stigmastanol, 635
  - tocopherols and model compounds, 297
  - Spectra, NMR**, 14-hydroxy-*cis*-11, *cis*-17 eicosadienoic acid, 660
  - of linoleic peroxide-tocopherol addition compound, 324
  - of products of soybean lipoxigenase, 191
  - Spectra, ultraviolet**, of conjugated fatty acids, 445
  - of fatty acid peroxides, 788
  - of linoleic acid hydroperoxide, 324
  - of linoleic peroxide-tocopherol addition compound, 324
  - of ultrasonicated lipoproteins, 404
  - Spectrodensitometry**, on impregnated TLC plates, 420
  - TLC, specific activity <sup>3</sup>H-steroids, 420
  - Sphingoglycolipids**, biosynthesis in the developing mouse brain, 656
  - Sphingolipids**, biosynthesis in the developing mouse brain, 656
  - synthesis in jimpy mouse brain, 266
  - synthesis of ceramide galacturonate, 653
  - Sphingomyelin**, and cellular cholesterol metabolism, 305
  - content in human platelets, abnormalities, 60
  - fatty acid comp in human platelets, abnormalities, 60
  - in adipose tissue, 766
  - in bovine liver nuclear membranes and microsomes, 212
  - in bovine mammary microsomes, 165
  - in human myocardium, 728
  - in human tissues, 26
  - in rat testes mitochondria, 534
  - rat, liver, spleen, effect of 4,4'-diethylaminoethoxyhexestrol, 1
  - Sphingosine**, content of commercial ganglioside standards, 271
  - exogenous acceptor for glucosylsphingosine synthesis, 525
  - stimulation of in vitro glucosylceramide synthesis, 525
  - Sphingosine, keto, dihydro**, synthesis in jimpy mouse brain, 266
  - Spleen**, phospholipids, in drug-induced lipidosis, 1
  - Spleen, human**, phospholipid content, 26
  - Spleen, rat**, galactosidase activity, 56

- Sporophore, mushroom, biosynthesis of lipids**, 251
- Sporophytes, fatty acid profile**, 710
- Stearic acid,  $\alpha$ -hydroxy, GLC anal**, 159
- metabolism in the hen, 437
- 1-<sup>14</sup>C-Stearic acid, incorporation in egg lipids**, 437
- Stearic acid, dihydroxy, synthesis from trihydroxystearic acid**, 372
- Stearic acid, methyl ester, enzymatic hydrolysis**, 186
- Stearic acid, trihydroxy, chemical synthesis**, 372
- oxidation to dihydroxystearic acid, 372
- Stearyl-coenzyme A, in egg yolk fatty acid metabolism**, 769
- oleic acid precursor, bovine mammary microsomes, 349
- Sterculene, synthesis of analogue of**, 769
- Sterculic acid, distribution in plants**, 30
- effect on fatty acid metabolism, 437
- see fatty acid, cyclopropene, 35
- See fatty acids, cyclic
- See fatty acids, cyclopropene
- synthesis of a methylenecyclopropene analogue of, 769
- Stereospecific analysis, of oilseed triglycerides**, 215
- rat intestinal mucosa diglycerides, 256
- Stereospecificity, *M. emarginata* triglycerides**, 215
- Steroids, <sup>3</sup>H-labeled, specific activity by TLC-spectro-densitometry**, 420
- Sterol biosynthesis, in algae, *C. ellipsoidea***, 635
- inhibition of  $\Delta^9 \rightarrow \Delta^7$  isomerase by AY-9944, 635
- inhibition of  $\Delta^{14}$  reductase by AY-9944, 635
- Sterol ester hydrolase, chromatographic purification**, 795
- enzyme assay, 795
- from rabbit pancreas, mole weight, activators, inhibitors of, 795
- isolation from rabbit pancreas, 795
- separation from lipase on DEAE cellulose, 795
- Sterol esters, content in human brain**, 561
- fatty acid profile in human skin lipids, 506
- in *Vernix caseosa*, 506
- of human skin lipids, 506
- separation from wax esters by MgO column chromatography, 506
- Sterol synthesis, inhibition by AY-9944 in *C. ellipsoidea***, 635
- Sterols, biosynthesis, brain, effect of hyperphenylalaninemia**, 628
- biosynthesis, brain, effect of neonatal food restriction, 628
- Sterols, insect, column chromatography**, 156
- gas-liquid chromatography, 156
- thin-layer chromatography, 156
- Stigmastadienol, 4 $\alpha$ -methyl 24 $\beta$ - $\Delta^{14}$ , in *C. ellipsoidea* culture, GLC**, 635
- mass spectrum, 635
- Stigmastanol, 4 $\alpha$ -methyl 24 $\beta$ , in *C. ellipsoidea* culture, by GLC**, 635
- Stigmastanol, 4 $\alpha$ , 14 $\alpha$ -dimethyl, 24 $\beta$ - $\Delta^9$ , in *C. ellipsoidea* culture, by GLC**, 635
- Stigmastanol, 24 $\beta$ - $\Delta^{14}$ , in *C. ellipsoidea* culture, GLC**, 635
- mass spectrum, 635
- in *C. ellipsoidea* culture, GLC, 635
- Stomach fistula, in fat absorption studies**, 344
- Stress, effect on salmon fatty acids**, 90
- Sulphydryl groups, active sites of plasma lecithin-cholesterol acyltransferase reaction**, 121
- effect of malonaldehyde on, 229
- effect of oxidized linolenic acid on, 229
- Sulfotransferase, in normal mouse brain microsomes**, 259
- in quaking mouse brain microsomes, 259
- Surface effect, on linoleic acid monolayer autooxidation**, 699
- Surface potential, changes due to interaction of dipalmitoyl phosphatidyl choline with cadmium and zinc**, 490
- Surface pressure, changes due to interactions of dipalmitoyl phosphatidyl choline with cadmium and zinc**, 490
- Surface tension, of dog lung lipids**, 492
- T**
- Tangelos, hydrocarbon profile**, 722
- Tapetum lucidum, sand trout, lipids in**, 171
- Taurolithic acid, sodium salt, use in purification of lipase and sterol ester hydrolase**, 795
- Tay Sachs disease, lipid metabolism in brain tissue culture**, 135
- TBA. See thiobarbituric acid**
- Testes, rat, metabolism of palmitic acid**, 368
- phospholipid comp, 634
- prep of mitochondria, 534
- Testosterone. See androgens**
- Tetraglycerides, estolides in *L. auriculata* seed oil**, 660
- Tetraglycerosyl ceramides, fatty acid profile in hepatoma cells**, 556
- 3-[p-(1,2,3,4-Tetrahydro-3-methoxy-2-phenyl-1-naphthyl)phenoxy]-1,2-propanediol, screening of hypolipidemic activity**, 68
- Thermogenesis, non-shivering, control by noradrenaline**, 310
- in brown adipose tissue and skeletal muscle, 310
- and skeletal muscle, 310
- in cold acclimated rats, 310
- Thermogenesis, shivering, in cold acclimated rats**, 310
- Thermophilic fungi, effect of temperature on fatty acid profile**, 695
- fatty acid profile, 695
- lipid comp, 695
- unsaturation index, polar and neutral lipids, 695
- Thin-layer chromatography, phospholipids from human tissues**, 26
- Thiobarbituric acid, content of rat tissues**, 780
- for oxidation of lipoproteins, 404
- Thiobarbituric acid reactants, formation in rat lungs exposed to ozone**, 518
- Thiokinase, bovine mammary microsomes**, 349
- Thoracic duct, dog, cannulation, chylomicron triglyceride clearance**, 644
- Thrombocytes, prostaglandin content and synthesis**, 246
- Thromboplastin, brain, anticoagulant activity of glycol analogues of phosphatidyl serine**, 690
- Thyrototoxicosis, effects on serum lipids**, 100
- role of androgens, 100
- D-Thyroxine, screening of hypolipidemic activity**, 68
- Tissue culture, brain explants, fatty acid metabolism**, 135
- brain explants, fatty acid uptake, 135
- brain explants, lipid metabolism, 135
- brain explants, metachromatic leucodystrophy, 135
- brain explants, Tay Sachs disease, 135
- Tissue lipids, ruminant, fatty acid profile**, 83
- modification by dietary fat, 83
- linoleate content and diet, 83
- Tobacco budworms, lipid biosynthesis in**, 628
- Tobacco hornworm, cholesterol biosynthesis**, 156
- inhibition of metamorphosis by azasteroids, 653
- 24-methylenecholesterol as cholesterol precursor, 156
- sterol metabolism, 156
- Tocopherol, contents of rat tissue**, 780
- effect on growth of rats, 780
- *in vivo* oxidation of body fats in rats, 780
- Tocopherol dimer, anal**, 463
- in unsaponifiable matter from soybean oil, 483
- thermal scission, 483
- $\alpha$ -Tocopherol, addition to linoleic acid hydroperoxide**, 324
- analogs, addition to linoleic acid hydroperoxide, 324
- and biological antioxidant, 442
- effect of fatty ozonides, peroxides on, in rat, 715
- effect on activity of lung enzymes after ozone exposure, 518
- effect on linoleic acid monolayer autooxidation, 699
- in rat tissue, 715
- photooxidation in ethyl acetate, 442
- protective effects *in vivo* on lung lipids, 518
- reaction with oxygen under UV light, 442
- Tocopherols, in unsaponifiable matter from soybean oil**, 483
- mass spectrometry, fragmentation products, 297
- TPNH-oxidase, mechanism of lipid peroxidation**, 564
- Transport, fat, by rat lymph lipoproteins**, 409
- Triene:tetraene ratio, influence of DDT on**, 182
- Triglyceride biosynthesis, inhibition of clofibrate and betabenzalbutyrate**, 106
- Triglyceride transport, in rat electron microscopic study**, 497
- Triglyceride uptake, by rat tissue, a review**, 497
- Triglycerides, and chylomicrons metabolism in rat**, 497
- biosynthesis in isolated mucosal cells, 390
- bovine mammary tissue, distribution of oleic acid, 349
- chick, brain, heart, liver, during development, 596
- content in human brain, 561
- emulsified, as source of calories for intravenous feeding, 455
- estrogens and biosynthesis, 110
- fatty acid incorporation, brain tissue cultures, 135
- fatty acid profile in hepatoma cells, 556
- fatty acid profile in oilseeds, 447
- fatty acid profile in rat serum HDL, 225
- fatty acid profile in rat serum LDL, 225
- fatty acid profile in rat serum VLDL, 225
- hydrolysis by lipoprotein lipase, 497
- in bovine liver nuclear membranes and microsomes, 212
- in bovine mammary microsomes, 165
- in chicken lipoproteins, 742
- in dog plasma, effect of *p*-chlorophenoxyisobutyric acid, 114
- in emulsions with phosphatidyl choline, 234

- in fish eye, 171
  - in rat, effect oxidized fat in diet, 780
  - infusion in rat, 497
  - long-chain mono-unsaturated acids, synthesis, 46
  - *M. emarginata*, stereospecific anal, 215
  - of cardiac tissue after feeding of erucic acid, 548
  - of human heart muscles, 728
  - plasma chylomicron in the dog, 644
  - positional distribution of fatty acids, 165
  - pyrolysis of, 773
  - radiolysis products, 75
  - rat, liver, effect of 4,4'-diethylaminoethoxyhexestrol, 1
  - rat lung, effect of ozonides, 715
  - rat testicular, palmitic acid incorporation, 368
  - ruminant tissues, fatty acid profile and diet, 83
  - ruminant tissues, linoleate content and diet, 83
  - specificity of lipase from *Geotrichum candidum*, 738
  - synthesis in dogfish tissues, 240
  - synthesis in rat intestinal mucosa, 256
  - synthesis of mixed acid compounds, 738
  - tetra-acid of *L. auriculata* seed oil, 660
  - TLC, mass and IR spectra of pyrolysis products, 773
  - transport, 497
  - uptake by adipose tissue, 497
  - uptake by capillary endothelium, 497
  - uptake by cultured cells, 125
  - uptake by liver, 497
  - uptake by mammary tissue, 497
  - Triglycerides, hepatic**, glutamate and dietary cholesterol, gerbil, 394
  - Triglycerides, liver**, level in EFA deficiency, 387
  - Triglycerides, milk**, regulation of synthesis, bovine mammary tissue, 349
  - Triglycerides, plasma**, effect of anabolic-androgenic compounds, 110
    - effect of estrogens, 110
    - effect of progestagens, 110
    - estrogens and extrahepatic removal, 110
    - response to MK-185, 96
  - Triglycerides, rat serum**, response to hypolipidemic agents, 68
    - response to Triton WR-1339, 68
  - Triglycerides, serum**, glutamate and dietary cholesterol, gerbil, 394
    - level in EFA deficiency, 387
  - Trihexadecanol**, pyrolysis products, 773
  - 9,10,18-Trihydroxy acids**, optical rotations of, 372
  - 9,10,12-Trihydroxystearic acids**, optical configurations of, 372
  - Trioctadecanol**, pyrolysis products, 773
  - Trioleanol**, pyrolysis products, 773
  - Triolein**, dietary, rat chylomicron phosphatidyl choline species, 344
  - Tripalmitol**, effect on lipids of rat liver, 1
    - screening of hypolipidemic activity, 68
  - Tritetradecanol**, pyrolysis products, 773
  - Tritium**, health physics, 604
  - Triton WR-1339**, hyperlipidemia induction for drug screening, 68
    - response of serum lipids, 68
  - Triton X-100**, extracts of mouse brain microsomes, 259
  - Trout**, neutral lipids, fatty acid profile, 450
    - phospholipid, fatty acid profile, 450
  - Trout, rainbow**, effect of fatty acid feeding on fatty acid comp, 450
    - effect of fatty acid feeding on growth, 450
    - fat free diet, effect on growth, 450
    - fatty acid profile, 450
  - Trout, sand**, lipids in eye of, 171
  - Tumor lipids**, comparison with embryonic tissue lipids, 596
  - Tung nuts**, biosynthesis of conjugated fatty acids in, 445
- ## U
- Ultrasonication**, effects on lipoproteins, 404
  - Unsaponifiable matter**, of soybean oil, tocopherol in, 483
  - Uric acid, plasma**, response to MK-185, 96
  - Uridine diphosphate glucose**, as donor of glucose in glucosylsphingosine synthesis, 525
  - Uronic acid**, synthesis of ceramide galacturonate, 653
- ## V
- Venous catheter**, use in feeding of infants, 455
  - Ventricle, human**, lipid comp, 728
  - Vernix caseosa**, lipid comp, 506
  - Very low density lipoprotein**, in chicken serum, effect of dietary cholesterol, 742
  - Vesicular gland, rat**, prostaglandin anal, 622
  - Vesicular glands**, sheep and swine, in vitro synthesis of prostaglandins, 415
    - sheep and swine, isolation of prostaglandins, 415
  - Vitamin D<sub>3</sub>**, hypolipidemic effect in the rat, 263
  - Vitamin E**. See tocopherols
  - VLDL**. See very low density lipoproteins
- ## W
- Water, tritiated**, lipid precursor in cultured cells, 146
  - Water content**, of moss, 710
  - Wax esters**, fatty acid profile in human skin lipids, 506
    - grasshopper cuticular lipids, fatty acid profile, 356
    - grasshoppers cuticular lipids, isolation, chromatographic, 356
    - grasshopper cuticular lipids, secondary alcohols, 356
    - in human skin lipids, 506
    - in *Vernix caseosa*, 506
    - separation from sterol esters by MgO column chromatography, 506
    - synthesis in liver of spur dogfish, 240
  - Waxes**, in *E. coli*, 275
  - Whale oil**, effect of feeding on heart lipids, 548
  - White cell count**, response to MK-185, 96
- ## XYZ
- Zinc**, interaction with dipalmitoyl phosphatidyl choline, 490
  - Zooplankton**, effect on salmon fatty acids, 90
  - Zygomycete**. See *Rhizopus arrhizus*

